

Preview	Order num.	Description	
PLC Tecomat TC800			
TC800 - Central modules			
	TXN 180 01	CP-8001; CPU/1core, 2x ETH100/10, 2xUSB, 2x Slot for CH1-4, 128 kB Databox	312 984 Ft
TC800 - Positioning and counter modules			
	TXN 101 30	MR-0130, 1x RS232, with its own power supply, galvanic isolation	40 166 Ft
	TXN 101 31	MR-0131, 1x RS485, with its own power supply, galvanic isolation	42 253 Ft
	TXN 101 33	MR-0133, 2x RS485, with its own power supply, galvanic isolation	63 118 Ft
	TXN 101 33.01	MR-0133, 2x RS485, with own power supply, 2x 120 Ohm termination connected, galvanic isolation	63 118 Ft
	TXN 101 34	MR-0134, 2x RS232, with its own power supply, galvanic isolation	61 554 Ft
	TXN 101 35.01	MR-0135, 1x RS-485, Profibus master, with its own power supply, galvanic isolation, impedance termination	63 118 Ft
	TXN 101 36	MR-0136, 1x CAN, with its own power supply, galvanic isolation	42 253 Ft
	TXN 101 40	SE-0140, Expander 1x Master system bus TCL2 for Foxtrot 2; own power supply, galvanic isolation, bus impedance termination	42 253 Ft
	8020103892	MicroSDHC 32GB, Memory card	8 416 Ft
TC800 - I / O expansion modules			
	TXN 183 02	IB-8302; 16x DI, GO, 24 V DC, 4 mA, 5 ms	113 718 Ft
	TXN 183 10	IB-8310; 32x DI, GO, for external modules IB-04xx	121 020 Ft
	TXN 184 01	OS-8401; 16x DO, GO, 24 V DC, CP, 0.5 A, transistor	137 713 Ft
	TXN 184 10	OS-8410; 32x DO, GO, 24 V DC, 0.05 A, for external modules OS-04xx	112 674 Ft
	TXN 184 50	OR-8450; 12x RO, GO, 12-230 V AC/3A, switching relay	114 239 Ft
	TXN 186 51	OT-8651, 12 bit; 4xAO, 0-10 V, ±10 V, 0(4)-20 mA	185 182 Ft
TC800 - Expansion modules, accessories			
	TXN 104 01	IB-0401 16xDI 24VDC, external module for IB-7310, IB-7311	67 813 Ft

	TXN 104 02	IB-0402 16xDI 24VDC, surge protection, external module for IB-7310, IB-7311	77 724 Ft
	TXN 104 03	IB-0403 16xDI 230VAC, surge protection, external module for IB-7310, IB-7311	77 724 Ft
	TXN 104 04	IB-0404, 16xDI, 24VDC, group terminals	62 597 Ft
	TXN 104 25	OS-0425, 16xDO, 230VDC/0.5A, SSR DC, with output protection, direct connection of the load	412 617 Ft
	TXN 104 28	OS-0428, 16xDO, 24VDC/50mA, SSR DC with output protection, grouped contacts	122 585 Ft
	TXN 104 27	OR-0427 8xRO, 230VAC/16A, Relays with output protection, individual contacts	162 752 Ft
	TXN 104 26	OS-0426, 16xDO, 230VAC/2A SSR AC, with output protection, direct connection of the load	350 020 Ft
	TXN 104 22	OR-0422, 8xRO, 230VAC/4A, Relays in sockets, individual contacts,	110 066 Ft
	TXN 104 24	OR 0424, 2x8RO, 230VAC/4A, Relays with output protection with RC, grouped contacts	122 585 Ft
	TXN 102 11.04	KB-0211, Cable for external binary I/O modules (20pin-20pin), shielded, 1m	18 153 Ft
	TXN 102 11.01	KB-0211, Cable for external binary I/O modules (20pin-20pin), shielded, 0.3m	12 102 Ft
	TXN 102 11.02	KB-0211, Cable for external binary I/O modules (20pin-20pin), shielded, 0.5m	14 371 Ft
	TXN 102 12.12	KB-0212, Cable for external binary I/O modules - unshielded, 3m	27 986 Ft
	TXN 102 12.08	KB-0212, Cable for external binary I/O modules - unshielded, 2m	24 204 Ft
	TXN 102 12.04	KB-0212, Cable for external binary I/O modules - unshielded, 1m	16 640 Ft
	TXN 102 12.02	KB-0212, Cable for external binary I/O modules - unshielded, 0,5m	12 858 Ft
	TXN 102 13.12	KB-0213, Cable for external AI modules IT-04xx, shielded (W3.5/2x10 and free end with crimp sleeves), 3m	47 652 Ft
	TXN 102 13.08	KB-0213, Cable for external AI modules IT-04xx, shielded (W3.5/2x10 and free end with crimp sleeves), 2m	40 844 Ft
	TXN 102 13.04	KB-0213, Cable for external AI modules IT-04xx, shielded (W3.5/2x10 and free end with crimp sleeves), 1m	33 281 Ft

	TXN 102 13.02	KB-0213, Cable for external AI modules IT-04xx, shielded (W3.5/2x10 and free end with crimp sleeves), 0,5m	28 742 Ft
	TXF 680 00	Interference suppression kit 8x varistor 24V DC / AC	3 782 Ft
	TXF 680 01	SUPPRESSOR SET 8x VARISTOR 48V DC/AC	3 782 Ft
	TXF 680 02	SUPPRESSOR SET 8x VARISTOR 115V AC	3 782 Ft
	TXF 680 03	SUPPRESSOR SET 8x VARISTOR 230V AC	3 782 Ft
	TXF 680 04	SUPPRESSOR SET 8x RC Clamp 24-48V DC/AC	12 858 Ft
	TXF 680 05	SUPPRESSOR SET 8x RC Clamp 115-230V AC	12 858 Ft
TC800 - Power supply modules			
	TXN 189 01	PW-8901; TC800 system bus power supply and expansion module	67 292 Ft
TC800 - PLC frames			
	TXN 189 40	RM-8940; Frame for 10 positions (module 12 mm)	33 907 Ft
	TXN 189 41	RM-8941; Frame for 14 positions (module 12 mm)	37 036 Ft
	TXN 189 42	RM-8942; Frame for 18 positions (module 12 mm)	41 731 Ft
	TXN 189 43	RM-8943; Frame for 22 positions (module 12 mm)	45 383 Ft
	TXN 189 44	RM-8944; Frame for 27 positions (module 12 mm)	51 642 Ft
	2020203208	BS-C028 Set of 8 covers for unoccupied TC800 bus positions (w=9.5mm/1pc)	1 148 Ft
PLC Tecomat Foxtrot			
Foxtrot 2 - Basic modules			
	TXN 120 00.11NDNN	CP-2000, CPU/1core, 2xETH100/10, ---, 128kB databox, LCD 20mm, 1x RS232, CH1-4, 4xAI/DI, 3xDI/230VAC, 2xRO, 2xCIB	299 943 Ft
	TXN 120 00.11NDLN	CP-2000, CPU/1core, 2xETH100/10, LTE, 128kB databox, LCD 20mm, 1x RS232, CH1-4, 4xAI/DI, 3xDI/230VAC, 2xRO, 2xCIB	419 399 Ft
	TXN 120 05.11NSNN	CP-2005, CPU/1core, 2xETH100/10, ---, 128kB databox, LCD-7mm, CH1-4, 6x AI/DI, 6x RO, 2x AO, 1xCIB	333 328 Ft
	TXN 120 05.11NSLN	CP-2005, CPU/1core, 2xETH100/10, LTE, 128kB databox, LCD-7mm, CH1-4, 6x AI/DI, 6x RO, 2x AO, 1xCIB	453 305 Ft

	TXN 120 07.11NDNN	CP-2007, CPU/1core, 2xETH100/10, ---, 128kB databox, LCD-20mm, CH1-4, 12xAI/DI, 2xAI/AO, 1xDI/230VAC, 11x RO, 2x AO/PWM, 1xCIB	429 831 Ft
	TXN 120 07.11NDLN	CP-2007, CPU/1core, 2xETH100/10, LTE, 128kB databox, LCD-20mm, CH1-4, 12xAI/DI, 2xAI/AO, 1xDI/230VAC, 11x RO, 2x AO/PWM, 1xCIB	549 287 Ft
	TXN 120 80.11NSNN	CP-2080, CPU/1core, 2xETH100/10, ---, 128kB databox, LCD-7mm, CH1-4, 4x D I(GO), 6x RO, 2x DO, 1xCIB	357 845 Ft
	TXN 120 80.11NSLN	CP-2080, CPU/1core, 2xETH100/10, LTE, 128kB databox, LCD-7mm, CH1-4, 4x DI, 6x RO, 2x DO, 1xCIB	477 822 Ft
	TXN 120 90.11NSNN	CP-2090, CPU/1core, 2xETH100/10, ---, 128kB databox, LCD-7mm, CH1-4, 1xCIB, 1x TCL2	263 428 Ft
	TXN 120 91.11NDNN	CP-2091; CPU, 2xETH100/10, 128kB dbox, LCD, 1x RS-485, 1xCIB, CH1-4, 8xAI/DI, 2xAI/DI/AO, 1x DI(230VAC), 2xAO/DO (PWM), 3xDO (PWM), 6xRO, 24VDC/230VAC	350 542 Ft
	TXN 120 00.11NDNN.5	CP-2000, Mosaic Single lic. + iCOOL ready; CPU/1, 2xETH,---, 128kB dbox, LCD 20, 1x RS232, CH1-4, 4xAI/DI, 3xDI/230VAC, 2xRO, 2xCIB, 1x TCL2	313 506 Ft
	TXN 120 00.11NDLN.5	CP-2000, Mosaic Single lic. + iCOOL ready; CPU/1, 2xETH, LTE, 128kB dbox, LCD 20mm, 1x RS232, CH1-4, 4xAI/DI, 3xDI/230VAC, 2xRO, 2xCIB, 1x TCL2	433 248 Ft
	TXN 120 05.11NSNN.5	CP-2005, Mosaic Single lic. + iCOOL ready; CPU/1, 2xETH, ---, 128kB dbox, LCD-7, CH1-4, 6x AI/DI, 6x RO, 2x AO, 1xCIB, 1x TCL2	344 804 Ft
	TXN 120 05.11NSLN.5	CP-2005, Mosaic Single lic. + iCOOL ready; CPU/1, 2xETH, LTE, 128kB dbox, LCD-7, CH1-4, 6x AI/DI, 6x RO, 2x AO, 1xCIB, 1x TCL2	467 389 Ft
	TXN 120 90.11NSNN.5	CP-2090, Mosaic Single license + iCOOL ready; CPU / 1, 2xETH, 128kB dbox, LCD-7, CH1-4, 1xCIB, 1x TCL2	277 512 Ft
Foxtrot 2 - Accessories for basic modules			
	TXN 101 30	MR-0130, 1x RS232, with its own power supply, galvanic isolation	40 166 Ft
	TXN 101 31	MR-0131, 1x RS485, with its own power supply, galvanic isolation	42 253 Ft
	TXN 101 33	MR-0133, 2x RS485, with its own power supply, galvanic isolation	63 118 Ft
	TXN 101 33.01	MR-0133, 2x RS485, with own power supply, 2x 120 Ohm termination connected, galvanic isolation	63 118 Ft
	TXN 101 34	MR-0134, 2x RS232, with its own power supply, galvanic isolation	61 554 Ft
	TXN 101 35.01	MR-0135, 1x RS-485, Profibus master, with its own power supply, galvanic isolation, impedance termination	63 118 Ft
	TXN 101 36	MR-0136, 1x CAN, with its own power supply, galvanic isolation	42 253 Ft
	TXN 101 40	SE-0140, Expander 1x Master system bus TCL2 for Foxtrot 2; own power supply, galvanic isolation, bus impedance termination	42 253 Ft

	8020103892	MicroSDHC 32GB, Memory card	8 416 Ft
	8020104288	2JW1302-C675B; WiFi / Bluetooth Antenna; 2.4GHz, 5.0GHz, 5.1-5.9GHz; SMA (m), with screw joint	3 060 Ft
	8020104231	2JW1124-C952B; LTE Broadband Antenna; 698-960MHz, 1710-2170MHz, 2500-2700MHz, 50 Ohm, 2.9 dBi, SMA (m)	5 738 Ft
	8020103872	WiFi - USB miniature adapter; 802.11b / g / n, 150 Mbps, USB 2.0	11 076 Ft
	8020104290	WiFi - USB adapter with removable antenna; 802.11b / g / n, up to 150 Mbps, USB 2.0	11 076 Ft
Foxtrot 2 - OEM Basic modules Foxtrot - I / O Expansion Modules (TCL2)			
	TXN 113 01	IB-1301, 12xDI 24 VAC/DC, GO	66 509 Ft
	TXN 114 01	OS-1401, 12xDO 24 VDC, common pole, 8x0.5A, 4x 2A GO	92 069 Ft
	TXN 115 01	IR-1501, 4xDI 24 VAC / DC, 8xRO 230V / 2A, common terminal, galvanic isolation	94 678 Ft
	TXN 116 04	IT-1604, 8xAI: 16bit, 4-20mA, 0-10V, Ni1000, 2xAO: 10 bit/0÷10 V, GO	141 886 Ft
	TXN 116 05	IT-1605, 8xAI: 16bit, differential: thermocouples J, K, R, (S), B; 2xAO: 10 bit / 0 ÷ 10 V, GO	167 968 Ft
	TXN 116 51	OT-1651, 4xAO: 0-10V/ 4-20mA, GO	121 020 Ft
	TXN 117 01	IC-1701, 8x DI fast, 4x DO Fast	141 886 Ft
Foxtrot - Accessories for expansion modules			
	TXN 116 91	MT-1691 8x Individual supply of RTD sensors on IT-1601, (IT-1604)	2 608 Ft
	TXF 680 05	SUPPRESSOR SET 8x RC Clamp 115-230V AC	12 858 Ft
	TXF 680 04	SUPPRESSOR SET 8x RC Clamp 24-48V DC/AC	12 858 Ft
	TXF 680 03	SUPPRESSOR SET 8x VARISTOR 230V AC	3 782 Ft
	TXF 680 02	SUPPRESSOR SET 8x VARISTOR 115V AC	3 782 Ft
	TXF 680 01	SUPPRESSOR SET 8x VARISTOR 48V DC/AC	3 782 Ft

	TXF 680 00	Interference suppression kit 8x varistor 24V DC / AC	3 782 Ft
Foxtrot - Communication Modules (TCL2)			
	TXN 111 01	SC-1101 1x RS-232 / RS-485 interface	76 159 Ft
	TXN 111 02	SC-1102; 1x CAN interface	76 159 Ft
	TXN 111 11.A	SC-1111-A; RF interface for RFox2, radio type A	55 815 Ft
	TXN 111 12.T	SC-1112-T; RF interface for Wireless M-BUS, mode T	64 162 Ft
	TXN 121 31.A	RF-2131-A; Single-channel external master of the RFox2 network, on the TCL2 system bus	56 076 Ft
	TXN 112 03	UC-1203; MP-bus, communication module for Belimo servo drives	88 679 Ft
	TXN 112 04	UC-1204; Open Therm, communication module for boiler connection	88 679 Ft
	TXN 105 52	KB-0552, Converter TCL2 (RS-485) / MM optical fiber	115 178 Ft
Foxtrot - Positioning Modules (TCL2)			
	TXN 117 53	GT-1753, 4 axis positioning module for Foxtrot	1 002 609 Ft
	TXN 117 51	GT-1751, 1 axis positioning module for Foxtrot	629 619 Ft
	TXN 117 52	GT-1752, 2 axis positioning module for Foxtrot	752 205 Ft
Foxtrot - Power Modules			
	8020103608	HDR-15-24; Power supply 85-264VAC / 24VDC, 0.63A in 1M housing	9 303 Ft
	8020103682	HDR-30-24; Power supply 85-264VAC / 24VDC, 1.5A in 2M housing	11 398 Ft
	8020103607	HDR-60-24; Power supply 85-264VAC / 24VDC, 2.5A 3M housing	15 597 Ft
	8020103649	HDR-100-24N; Power supply 85-264VAC / 24VDC, 4.2A in 4M housing	24 595 Ft
	8020103856	HDR-150-24; Power supply 85-264VAC / 24VDC, 6,25A in 6M housing	28 195 Ft
	TXN 070 40	PS2-60 / 27 Two-level backup power supply with battery charger (with UPS function) 230VAC / 27.2VDC, 2.2A; 12VDC 0.3A in 6M case	86 983 Ft

	8020103853	DRC-40B Backup power supply with battery charger (UPS function); 40 W; 27.6VDC; 0,95A	24 595 Ft
	8020103854	DRC-60B Backup power supply with battery charger (UPS function); 60W; 27.6VDC; 1,4A	28 795 Ft
	8020103855	DRC-100B Backup power supply with battery charger (UPS function); 100W; 27.6VDC; 2,25A	40 792 Ft
	8020103648	KNX-20E-640 Power supply KNX, 100-230VAC / 24VDC, 640mA in 3M housing	55 607 Ft
	1240101018	RE 7-12; 12V / 7Ah, Maintenance-free lead acid battery, VRLA	30 603 Ft
	1240101013	BP 12V / 18Ah; Maintenance-free lead sealed battery	48 965 Ft
Foxtrot 1 - Basic modules Foxtrot 1 - Accessories for basic modules Foxtrot 1 - OEM basic modules			
CFox - CIB bus modules			
CFox - System Modules			
	TXN 121 41	CF-2141; CIB; 1x CIB master bus with power supply, for a total of 32 slaves, communication with CP: Ethernet - for Foxtrot2 only	74 794 Ft
	TXN 143 15.A	C-RF-0001M-A; RFox2 Mini Master, CIB / RFox2 interface, type A radio	40 749 Ft
	TXN 133 55	C-BS-0001M; CIB bus separator, 1A	17 892 Ft
	1220201058	BDM-024-V/1-R1-CIB; Lightning arrester for CIB, 24V/1A, ST1+2+3	78 585 Ft
	8,0201E+11	DTNVEM 1/CIB surge suppressor for 1xCIB, for DIN rail	46 061 Ft
	8030104414	DTNVE 1/CIB surge supressor for 1xCIB, for flush mounting	46 061 Ft
CFox - Modules on DIN rail			
	TXN 133 59	C-IR-0203M; CIB, 2x DI / AI, 2x RO switching contacts 230V / 16A, 1x AO 0-10V / PWM	57 433 Ft
	TXN 133 60	C-IR-0303M; CIB, 3x AI/DI, 2x RO-5A, 1x RO-16A	32 542 Ft
	TXN 133 06	C-IB-1800M; CIB, 4x AI/DI universal inputs 14x DI including double balanced inputs, 4M	97 182 Ft
	TXN 133 49	C-IS-0504M; CIB, 3x AI/DI, 3x RO, 1x PWM (4W), 2x AI resistance measuring by AC)	69 152 Ft
	TXN 133 03	C-OR-0008M; CIB, 8x RO, changeover contact, 230V / 16A	105 006 Ft

	TXN 133 67	C-OR-0011M-800; CIB, 11x RO, NO contact, 230V / 16A (inrush current 800A)	143 973 Ft
	TXN 133 68	C-JC-0006M; CIB, 6x blind actuator, (6x2 RO - dependent switching, local function), 230VAC / 5A	157 535 Ft
	TXN 133 82	C-RM-1109M; CIB, 3x AI, 8x DI, 1x AO, 8x RO, ext. power supply	109 544 Ft
	TXN 133 24	C-HM-0308M; CIB, 3x AI/DI, 2x AO, 6x RO/5A	109 544 Ft
	TXN 133 10	C-HM-1113M; CIB, 3x AI, 8x DI, 2x AO, 10x RO/5A, 1xRO/16A	134 061 Ft
	TXN 133 11	C-HM-1121M; CIB, 3x AI, 8x DI, 2x AO, 16x RO/5A, 3x RO/16A	207 352 Ft
	TXN 133 78	C-DM-0002L-10V; CIB, 2x dimmer with 0-10V output for dimming ballasts LED or fluorescent lamps, 2x RO	44 539 Ft
	TXN 133 45	C-DM-0006M ULED; CIB, 6 channel dimming module for LED strips 12-24VDC, max. 4A/channel	90 244 Ft
	TXN 133 46	C-DM-0006M ILED; CIB, 6 channel dimmer module for LED chip, current source	95 530 Ft
	TXN 133 58	C-DM-0402M-RLC; CIB, 2x dimmer RLC, 230V AC, 2x 500W, 4x DI / AI	85 549 Ft
	TXN 133 54	C-DL-0064M; CIB-DALI converter, for 64 DALI ballasts	165 882 Ft
	TXN 133 92	C-1W-4000M; master of 1Wire bus for 40 sensors	118 621 Ft
	TXN 133 96	C-OS-0808M; CIB, 8x input 24 V DC, 8x fast transistor output 24 V DC; Control of 2 stepper motors	148 859 Ft
	TXN 133 39	C-FC-0024X; CIB, I/O for Fan Coil, 0-100% fan speed control 24V, 3x AI/DI, 2x RO	63 275 Ft
	TXN 133 85	C-EV-0302M; Module for controlling AC charging an electric vehicle; PP, CP, 2xAI/DI, 1xDI (for S0), 1xRO, 1xDO	89 079 Ft
	TXN 143 13	C-EV-0505M; Electric vehicle AC charging control module; PP, CP, 2xAI / DI, 1xDI (for S0), 1x AI (AC) 2xRO, 1x RGB data, 24VDC, 1x RCM, 2x Lock	123 907 Ft
	TXN 143 09	C-EM-0300M; CIB fast electricity meter/quality meter, power supply 230 V AC/DC, 3x U, 3x I - for current transformer x:333 mV	94 356 Ft
	TXN 133 22.13	C-EM-0401M-P035; CIB fast electricity meter 35 A, power supply 230 V AC/DC, 4x U, 4x I, 4x current transformer JP5W	156 188 Ft
	TXN 133 22.90	C-EM-0401M-S; CIB fast electricity meter / quality meter, power supply 230 V AC / DC, 4x U, 4x I - current transformer x: 100 mA, 1x RO	149 328 Ft
CFox - Built-in modules			

	TXN 133 02	C-OR-0202B; CIB, 2x AI/DI; 2x RO NO/NC contacts; 230VAC/16A	52 686 Ft
	TXN 133 70	C-LC-0202B; CIB, 2x RO switching contact, 230V / 16A (inrush 80A), 2x DI with local function	52 686 Ft
	TXN 133 69	C-JC-0201B; CIB, 1x jalousie actor (2xRO with dependent switching, local function). 230VAC/16A, 2x DI	52 686 Ft
	TXN 133 81	C-DM-0001B-SL; CIB, Steuerung von WS2812 adressierbaren LEDs in Band	38 375 Ft
	TXN 133 25	C-IR-0202S; CIB, 2x AI/DI - RTD or contact, 1x RO 3 A, 1x AO (1-10 VDC)	38 375 Ft
	TXN 133 65	C-IR-0203S; CIB, 2x AI / DI Temperature / contact, 2x AO (0-10V); 1x RO, 230V / 16A (inrush 80A) make / break contact	42 557 Ft
	TXN 133 26	C-IT-0504S; CIB, 5x AI/DI - RTD or contact, 4x AO (0-10V/10mA)	30 699 Ft
	TXN 133 52.01	C-IT-0908S-NPN; CIB, 6xDI, 2xAI/DI, 1x AI (contact/temperature), 8x NPN LED driver 3mA (LED - common anode)	62 797 Ft
	TXN 133 52	C-IT-0908S-PNP; CIB, 6x DI, 2x AI/DI, 1x AI (contact, temperature), 8x PNP LED driver 3mA (LED common cathode)	62 797 Ft
	TXN 133 47	C-RI-0401S; CIB, 2x AI/DI RTD or contact; 1x IR transmitter, 1x IR receiver, 1x AI - light intensity (including IR LED+IR Sensor)	57 215 Ft
	TXN 133 53	C-WG-0503S; CIB, 2x AI/DI/EZS, 3x DO (NPN), 1x Wiegand/3x DI(TTL), 12VDC/60mA power supply, for security detectors	58 606 Ft
	TXN 133 61	C-RQ-0600S; CIB, built-in module for connecting temperature, humidity, motion and CO2 sensors, 2x AI / DI	46 748 Ft
	TXN 133 61.S	C-RQ-0600S-SHS; CIB, built-in module for connection of temperature, humidity, motion and CO2 sensors, 2x AI / DI, (DI / AI2 input intended for dew sen	41 305 Ft
	TXN 143 14	C-IS-0404S; CIB, 4x AI/DI, 4x DO (1/2 H-bridge / PWM open collector)	42 557 Ft
	TXN 143 14.01	C-IS-0404S; CIB, 4x AI/DI, 4x DO (1/2 H-bridge / PWM open collector), without cover	42 557 Ft
CFox - Outdoor modules, IP54 / 65			
	TXN 133 09	C-IT-0200I; CIB, 2x AI, 0-10V, 4-20mA, RTD, TC, IP65	61 554 Ft
	TXN 133 09.01	C-IT-0200I-SI; CIB, Solar irradiation sensor 0-1500W/m2, IP65	97 547 Ft
	TXN 133 50	C-AM-0600I; CIB, 5xAI/DI, 1x AI analog inputs and energy metering module, IP55 protection	55 259 Ft
	TXN 133 47.92	C-RI-0401I; CIB, Temperature, Light intensity - outdoor version, IP54	62 701 Ft

	TXN 133 62.01	C-RQ-0400I; CIB, outdoor temperature and humidity sensor, 2x AI / DI, IP54	84 114 Ft
	TXN 133 62.02	C-RQ-0400H-P-180; CIB, temperature and humidity sensor for air duct, 2x AI / DI, IP54, 180mm	87 801 Ft
	TXN 133 62.03	C-RQ-0400H-P-240; CIB, temperature and humidity sensor for air duct, 2x AI / DI, IP54, 240mm	93 939 Ft
	TXN 133 62.04	C-RQ-0400I-10; CIB, temperature and humidity sensor, 2x AI / DI, IP54, 1,0m cable	75 516 Ft
	TXN 133 16.01	C-IT-0100H-P; CIB 1x temperature sensor -50 ° C to + 250 ° C, in tube 120 mm, 1x auxiliary temperature in plastic head, IP-65	44 131 Ft
	TXN 133 16.02	C-IT-0100H-P; CIB 1x temperature sensor -50 ° C to + 250 ° C, in tube 180 mm, 1x auxiliary temperature in plastic head, IP-65	44 652 Ft
	TXN 133 16.03	C-IT-0100H-P; CIB 1x temperature sensor -50°C to +250°C, in the 240mm tube, 1x auxiliary temperature in plastic head, IP-65	45 174 Ft
	TXN 133 16.04	C-IT-0100H-P; CIB 1x temperature sensor -50°C to +250°C, in the 300mm tube, 1x auxiliary temperature in plastic head, IP-65	45 644 Ft
	TXN 133 16.05	C-IT-0100H-P; CIB 1x temperature sensor -50 ° C to + 250 ° C, in 360mm tube, 1x auxiliary temperature in plastic head, IP-65	46 165 Ft
	TXN 133 16.11	C-IT-0100H-P; CIB 1x outdoor temperature sensor -30 ° C to + 80 ° C, in plastic head, IP-65	44 131 Ft
	TXN 133 16.12	C-IT-0100H-P; CIB, Temperature sensor -30 ° C to + 120 ° C, in plastic head, contact, IP65	45 174 Ft
CFox - Interior modules			
	TXN 133 48.01	C-HC-0201F-E; CIB head, 2x AI/DI RTD/contact, 1x proportional valve control, mounting set M30x1.5	53 720 Ft
	TXN 133 88.02	C-AQ-0006R-CO 2; CIB, Spatial CO2 concentration sensor	162 873 Ft
	TXN 133 88.07	C-AQ-0006R-iVOC; CIB, Spatial sensor for concentration of organic volatiles (VOC)	103 919 Ft
	TXN 133 88.11	C-AQ-0006R-RHT; CIB, Room humidity sensor, temperature	92 948 Ft
	TXN 133 88.16	C-AQ-0006R-SMOKE; CIB, Space Smoke Sensor	103 919 Ft
	TXN 133 87	C-IF-6400R; CIB; Module with GridEye sensor, matrix 8 x 8 temperature sensors	68 378 Ft
CFox - CIB wall switches and sensors			
CFox - Teco, Touch control panels			
	TXN 133 77.01	C-RC-0011R CIB, wall room controller, white/white	64 683 Ft

	TXN 133 77.02	C-RC-0011R CIB, wall room controller, anthracite/anthracite	64 683 Ft
	TXN 133 86	C-RC-0005R CIB, Hotel room controller , OLED display, Touch keypad, 9x buttons, 2x AI/DI	104 371 Ft
	TXN 133 95	C-RC-0006R CIB, Standard room controller, OLED display, Touch keypad, 9x buttons, 2x AI/DI	104 371 Ft
	TXN 133 84	C-KY-0001R; CIB, OLED display, Touch Keypad 16x buttons, RFID card/tag reader	104 371 Ft
	TXN 133 98	C-KY-0901R; CIB, OLED display, touch keyboard, RFID card / tag reader (for electric car charging station)	109 901 Ft
CFox - Touch@Glass			
	8020104145	C-WS-0601R-TG-0D; CIB, Touch touch glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, without display	147 833 Ft
	8020104146	C-WS-0601R-TG-1W; CIB, Touch control glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, 1x white display	164 786 Ft
	8020104147	C-WS-0601R-TG-1B; CIB, Touch control glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, 1x blue display	164 786 Ft
	8020104148	C-WS-06P1R-TG-0D; CIB, Touch control glass, 6 buttons with recesses, temperature and humidity sensor, 2xAI / DI, 1xDO, without display	158 005 Ft
	8020104149	C-WS-06P1R-TG-1W; CIB, Touch control glass, 6 buttons with recesses, temperature and humidity sensor, 2xAI / DI, 1xDO, 1x white display	174 958 Ft
	8020104150	C-WS-06P1R-TG-1B; CIB, Touch control glass, 6 buttons with recesses, temperature and humidity sensor, 2xAI / DI, 1xDO, 1x blue display	174 958 Ft
	8020104151	C-WS-0001R-TG-0D-C; CIB, CO2 sensor	227 852 Ft
	8020104152	C-WS-0001R-TG-0D-R; CIB, RFID reader	134 270 Ft
	8020104215	TOUCH-060M; Replacement glass Touch @ Glass 1 Module, 94x94mm without recess, mounting kit with plastic and magnet	37 975 Ft
	8020104218	TOUCH-06PM; Replacement glass Touch @ Glass 1 Module, 94x94mm with recesses, mounting kit with plastic and magnet	48 147 Ft
	8020104153	C-WS-1202R-TG-0D; CIB, Touch control glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, without display	280 747 Ft
	8020104154	C-WS-1202R-TG-1W; CIB, Touch control glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 1x white display	297 700 Ft
	8020104155	C-WS-1202R-TG-1B; CIB, Touch control glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 1x display blue	297 700 Ft
	8020104156	C-WS-1202R-TG-2W; CIB, Touch control glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 2x white display	314 653 Ft

	8020104157	C-WS-1202R-TG-2B; CIB, Touch control glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 2x display blue	314 653 Ft
	8020104158	C-WS-12P2R-TG-0D; CIB, Touch control glass, 12 buttons with recesses, temperature and humidity sensor, 4xAI / DI, 2xDO, without display	290 919 Ft
	8020104159	C-WS-12P2R-TG-1W; CIB, Touch control glass, 12 buttons with recesses, temperature and humidity sensor, 4xAI / DI, 2xDO, 1x white display	307 194 Ft
	8020104160	C-WS-12P2R-TG-1B; CIB, Touch control glass, 12 buttons with recesses, temperature and humidity sensor, 4xAI / DI, 2xDO, 1x blue display	307 194 Ft
	8020104161	C-WS-12P2R-TG-2W; CIB, Touch control glass, 12 buttons with recesses, T and H sensor, 4xAI / DI, 2xDO, 2x white display	324 825 Ft
	8020104162	C-WS-12P2R-TG-2B; CIB, Touch control glass, 12 buttons with recesses, temperature and humidity sensor, 4xAI / DI, 2xDO, 2x display blue	324 825 Ft
	8020104163	C-WS-0602R-TG-0D-C; CIB, Touch control glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, without display, CO2 sensor	360 766 Ft
	8020104164	C-WS-0602R-TG-1W-C; CIB, Touch control glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, 1x white display, CO2 sensor	377 720 Ft
	8020104165	C-WS-0602R-TG-1B-C; CIB, Touch control glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, 1x blue display, CO2 sensor	377 720 Ft
	8020104166	C-WS-0602R-TG-0D-R; CIB, Touch control glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, without display, RFID reader	267 184 Ft
	8020104167	C-WS-0602R-TG-1W-R; CIB, Touch control glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, 1x white displays, RFID reader	283 459 Ft
	8020104168	C-WS-0602R-TG-1B-R; CIB, Touch control glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, 1x blue display, RFID reader	283 459 Ft
	8020104216	TOUCH-120M; Replacement glass Touch @ Glass 1 Module, 94x165 mm without recesses, mounting kit with plastic and magnet	42 722 Ft
	8020104219	TOUCH-12PM; Replacement glass Touch @ Glass 2 Module, 94x165mm with recesses, mounting kit with plastic and magnet	52 216 Ft
	8020104169	C-WS-1803R-TG-0D; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, without display	413 661 Ft
	8020104170	C-WS-1803R-TG-1W; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 1x white display	430 614 Ft
	8020104171	C-WS-1803R-TG-1B; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 1 blue screen	430 614 Ft
	8020104172	C-WS-1803R-TG-2W; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 2x white display	447 567 Ft
	8020104173	C-WS-1803R-TG-2B; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 2x display blue	447 567 Ft

	8020104174	C-WS-1803R-TG-3W; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 3x white display	464 520 Ft
	8020104175	C-WS-1803R-TG-3B; CIB, glass touch control, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 3x blue screen	464 520 Ft
	8020104176	C-WS-1203R-TG-0D-C; CIB, Touch touch glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, without display, CO2 sensor	493 002 Ft
	8020104177	C-WS-1203R-TG-1W-C; CIB, Touch control glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 1x white display, CO2 sensor	509 955 Ft
	8020104178	C-WS-1203R-TG-1B-C; CIB, Glass touch controller, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 1x blue display, CO2 sensor	509 955 Ft
	8020104179	C-WS-1203R-TG-2W-C; CIB, Touch control glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 2x displays - white, CO2 sensor	527 587 Ft
	8020104180	C-WS-1203R-TG-2B-C; CIB, Touch control glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 2x displays - blue, CO2 sensor	527 587 Ft
	8020104181	C-WS-1203R-TG-0D-R; CIB, Glass touch controller, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, without display, RFID reader	399 420 Ft
	8020104182	C-WS-1203R-TG-1W-R; CIB, Touch control glass, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 1x white display, RFID reader	416 373 Ft
	8020104183	C-WS-1203R-TG-1B-R; CIB, Glass touch controller, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 1x blue display, RFID reader	416 373 Ft
	8020104184	C-WS-1203R-TG-2W-R; CIB, Touch control glass, 6 buttons, temperature and humidity sensor, 2xAI / DI, 1xDO, 1x blue display, RFID reader	433 326 Ft
	8020104185	C-WS-1203R-TG-2B-R; CIB, Glass touch controller, 12 buttons, temperature and humidity sensor, 4xAI / DI, 2xDO, 2x displays - blue, RFID reader	433 326 Ft
	8020104217	TOUCH-180M; Replacement glass Touch @ Glass 3 Modules, 94x236mm with recesses, mounting kit	46 791 Ft
	8020104186	C-WS-2404R-TG-0D; CIB, Touch control glass, 24 buttons, temperature and humidity sensor, 8xAI / DI, 4xDO, without display	546 574 Ft
	8020104196	C-WS-1804R-TG-0D-C; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, without display, CO2 sensor	626 594 Ft
	8020104197	C-WS-1804R-TG-1W-C; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 1x white display, CO2 sensor	643 547 Ft
	8020104198	C-WS-1804R-TG-1B-C; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 1x blue display, CO2 sensor	643 547 Ft
	8020104199	C-WS-1804R-TG-2W-C; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 2x white display, CO2 sensor	660 501 Ft
	8020104200	C-WS-1804R-TG-2B-C; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 2x display blue, CO2 sensor	660 501 Ft

	8020104201	C-WS-1804R-TG-3W-C; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 3x white display, CO2 sensor	677 454 Ft
	8020104202	C-WS-1804R-TG-3B-C; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 3x display. blue, CO2 sensor	677 454 Ft
	8020104203	C-WS-1804R-TG-0D-R; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, without display, RFID reader	532 334 Ft
	8020104204	C-WS-1804R-TG-1W-R; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 1x white display, RFID reader	549 287 Ft
	8020104205	C-WS-1804R-TG-1B-R; CIB, Touch control glass, 18 buttons, temperature and humidity sensors, 6xAI / DI, 3xDO, 1x blue display, RFID reader	549 287 Ft
	8020104206	C-WS-1804R-TG-2W-R; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 2x white display, RFID reader	566 240 Ft
	8020104207	C-WS-1804R-TG-2B-R; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 2x displays blue, RFID reader	566 240 Ft
	8020104208	C-WS-1804R-TG-3W-R; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 3x displays - white, RFID reader	583 194 Ft
	8020104209	C-WS-1804R-TG-3B-R; CIB, Touch control glass, 18 buttons, temperature and humidity sensor, 6xAI / DI, 3xDO, 3x displays - blue, RFID reader	583 194 Ft
	8020104188	C-WS-2404R-TG-1W; CIB, Touch control glass, 24 buttons, temperature and humidity sensor, 8xAI / DI, 4xDO, 1x white display	563 528 Ft
	8020104189	C-WS-2404R-TG-1B; CIB, Touch control glass, 24 buttons, temperature and humidity sensor, 8xAI / DI, 4xDO, 1x display - blue	563 528 Ft
	8020104190	C-WS-2404R-TG-2W; CIB, Touch control glass, 24 buttons, temperature and humidity sensor, 8xAI / DI, 4xDO, 2x white display	580 481 Ft
	8020104191	C-WS-2404R-TG-2B; CIB, Touch touch glass, 24 buttons, temperature and humidity sensor, 8xAI / DI, 4xDO, 2x display blue	580 481 Ft
	8020104192	C-WS-2404R-TG-3W; CIB, Touch control glass, 24 buttons, temperature and humidity sensor, 8xAI / DI, 4xDO, 3x white display	597 434 Ft
	8020104193	C-WS-2404R-TG-3B; CIB, Touch control glass, 24 buttons, temperature and humidity sensor, 8xAI / DI, 4xDO, 3x display - blue	597 434 Ft
	8020104194	C-WS-2404R-TG-4W; CIB, Touch touch glass, 24 buttons, temperature and humidity sensor, 8xAI / DI, 4xDO, 4x white display	614 388 Ft
	8020104195	C-WS-2404R-TG-4B; CIB, Touch control glass, 24 buttons, temperature and humidity sensor, 8xAI / DI, 4xDO, 4x display - blue	614 388 Ft
CFox - LOGUS, Covers and devices			
	TXN 133 56	C-WS-0200R-Logus; CIB, Wall switch button, 2x buttons, 1x LED red/green, 2x AI/DI, 1x internal temperature	38 062 Ft
	TXN 134 13	S-WS-0200R-Logus; Driver with short-travel control, 2 buttons/contacts 24V, (passively 1x LED red, 1x LED green, 1x internal sensor NTC 12k)	15 632 Ft

	90601 TBR U01	90601 TBR U01, Cover for 2-button controller Logus white; for C-WS-0200R-Logus and S-WS-0200R-Logus	1 304 Ft
	90601 TMF U01	90601 TMF U01, Cover for 2-button controller Logus ivory; for C-WS-0200R-Logus and S-WS-0200R-Logus	1 304 Ft
	90601 TGE U01	90601 TGE U01, Cover for 2-button controller Logus ice; for C-WS-0200R-Logus and S-WS-0200R-Logus	3 373 Ft
	90601 TPE U01	90601 TPE U01, Cover for 2-button controller Logus pearl; for C-WS-0200R-Logus and S-WS-0200R-Logus	3 373 Ft
	90601 TAL U01	90601 TAL U01, Cover for 2-button controller Logus aluminum; for C-WS-0200R-Logus and S-WS-0200R-Logus	3 373 Ft
	90601 TIS U01	90601 TIS U01, Cover for 2-button controller Logus dark gray; for C-WS-0200R-Logus and S-WS-0200R-Logus	3 373 Ft
	90601 TPM U01	90601 TPM U01, Cover for 2-button controller Logus black; for C-WS-0200R-Logus and S-WS-0200R-Logus	3 373 Ft
	90601 TDU U01	90601 TDU U01, Cover for 2-button controller Logus gold; for C-WS-0200R-Logus and S-WS-0200R-Logus	3 373 Ft
	TXN 133 57	C-WS-0400R-Logus; CIB, Control device with short-path control, 4x button, 2x LED red / green, 2x AI / DI, 1x internal temperature	45 904 Ft
	TXN 134 14	S-WS-0400R-Logus; 4x short stroke buttons/contacts 24V module for design Logus	16 466 Ft
	90611 TBR U01	90611 TBR U01, Cover for 4-button controller Logus white; for C-WS-0400R-Logus and S-WS-0400R-Logus	1 374 Ft
	90611 TMF U01	90611 TMF U01, Cover for 4-button controller Logus ivory; for C-WS-0400R-Logus and S-WS-0400R-Logus	1 374 Ft
	90611 TGE U01	90611 TGE U01, Cover for 4-button controller Logus ice; for C-WS-0400R-Logus and S-WS-0400R-Logus	2 756 Ft
	90611 TPE U01	90611 TPE U01, Cover for 4-button controller Logus pearl; for C-WS-0400R-Logus and S-WS-0400R-Logus	2 756 Ft
	90611 TAL U01	90611 TAL U01, Cover for 4-button controller Logus aluminum; for C-WS-0400R-Logus and S-WS-0400R-Logus	3 365 Ft
	90611 TIS U01	90611 TIS U01, Cover for 4-button controller Logus dark gray; for C-WS-0400R-Logus and S-WS-0400R-Logus	2 756 Ft
	90611 TPM U01	90611 TPM U01, Cover for 4-button controller Logus black; for C-WS-0400R-Logus and S-WS-0400R-Logus	2 756 Ft
	90611 TDU U01	90611 TDU U01, Cover for 4-button controller Logus gold; for C-WS-0400R-Logus and S-WS-0400R-Logus	2 756 Ft
	TXN 133 79.LTBR	C-RS-0200R-LOGUS white; CIB, device rotary knob + button, temperature sensor, 2x AI	32 550 Ft

	TXN 133 79.LTMF	C-RS-0200R-LOGUS ivory; CIB, device rotary knob + button, temperature sensor, 2x AI	32 550 Ft
	TXN 133 79.LTGE	C-RS-0200R-LOGUS ice; CIB, device rotary knob + button, temperature sensor, 2x AI	34 950 Ft
	TXN 133 79.LTPE	C-RS-0200R-LOGUS pearlescent; CIB, device rotary knob + button, temperature sensor, 2x AI	34 950 Ft
	TXN 133 79.LTAL	C-RS-0200R-LOGUS aluminum; CIB, device rotary knob + button, temperature sensor, 2x AI	34 950 Ft
	TXN 133 79.LTIS	C-RS-0200R-LOGUS gray; CIB, device rotary knob + button, temperature sensor, 2x AI	34 950 Ft
	TXN 133 79.LTPM	C-RS-0200R-LOGUS black; CIB, device rotary knob + button, temperature sensor, 2x AI	34 950 Ft
	TXN 133 79.LTDU	C-RS-0200R-LOGUS gold; CIB, device rotary knob + button, temperature sensor, 2x AI	34 950 Ft
	TXN 133 33.LTBR	C-RC-0002R-Logus white; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	67 813 Ft
	TXN 133 33.LTMF	C-RC-0002R-Logus ivory; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	67 813 Ft
	TXN 133 33.LTGE	C-RC-0002R-Logus ice; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	69 378 Ft
	TXN 133 33.LTPE	C-RC-0002R-Logus pearl; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	69 378 Ft
	TXN 133 33.LTAL	C-RC-0002R-Logus aluminum; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	69 378 Ft
	TXN 133 33.LTIS	C-RC-0002R-Logus dark gray; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	69 378 Ft
	TXN 133 33.LTPM	C-RC-0002R-Logus black; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	69 378 Ft
	TXN 133 33.LTDU	C-RC-0002R-Logus gold; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	69 378 Ft
	TXN 133 37.LTBR	C-RC-0003R-LOGUS white; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor	79 820 Ft
	TXN 133 37.LTMF	C-RC-0003R-LOGUS ivory; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor	79 820 Ft
	TXN 133 37.LTGE	C-RC-0003R-LOGUS icy; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor	81 045 Ft
	TXN 133 37.LTPE	C-RC-0003R-LOGUS pearlescent; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor	81 045 Ft

	TXN 133 37.LTAL	C-RC-0003R-LOGUS aluminum; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor	81 045 Ft
	TXN 133 37.LTIS	C-RC-0003R-LOGUS dark grey; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor	81 045 Ft
	TXN 133 37.LTPM	C-RC-0003R-LOGUS black; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor	81 045 Ft
	TXN 133 37.LTDU	C-RC-0003R-LOGUS gold; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor	81 045 Ft
	TXN 133 47.LTBR	C-RI-0401R-LOGUS white; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1x temperature, 1x AI / DI	65 083 Ft
	TXN 133 47.LTMF	C-RI-0401R-LOGUS ivory; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1x temperature, 1x AI / DI	65 083 Ft
	TXN 133 47.LTGE	C-RI-0401R-LOGUS ice; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1x temperature, 1x AI / DI	66 309 Ft
	TXN 133 47.LTPE	C-RI-0401R-LOGUS pearlescent; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1x temperature, 1x AI / DI	66 309 Ft
	TXN 133 47.LTAL	C-RI-0401R-LOGUS aluminum; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1x temperature, 1x AI / DI	66 309 Ft
	TXN 133 47.LTIS	C-RI-0401R-LOGUS dark gray; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1x temperature, 1x AI / DI	66 309 Ft
	TXN 133 47.LTPM	C-RI-0401R-LOGUS black; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1x temperature, 1x AI / DI	66 309 Ft
	TXN 133 47.LTDU	C-RI-0401R-LOGUS gold; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1x temperature, 1x AI / DI	66 309 Ft
	TXN 133 53.01LTBR	C-WG-0503R-T-LOGUS white; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 359 Ft
	TXN 133 53.01LTMF	C-WG-0503R-T-LOGUS ivory; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 359 Ft
	TXN 133 53.01LTGE	C-WG-0503R-T-LOGUS ice; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01LTPE	C-WG-0503R-T-LOGUS pearlescent; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01LTAL	C-WG-0503R-T-LOGUS aluminum; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01LTIS	C-WG-0503R-T-LOGUS dark gray; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01LTPM	C-WG-0503R-T-LOGUS black; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft

	TXN 133 53.01LTDU	C-WG-0503R-T-LOGUS gold; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 20.LTBR	C-IT-0200R-LOGUS white; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	41 140 Ft
	TXN 133 20.LTMF	C-IT-0200R-LOGUS ivory; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	41 140 Ft
	TXN 133 20.LTGE	C-IT-0200R-LOGUS ice; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.LTPE	C-IT-0200R-LOGUS pearl; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.LTAL	C-IT-0200R-LOGUS aluminum; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.LTIS	C-IT-0200R-LOGUS dark gray; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.LTPM	C-IT-0200R-LOGUS black; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.LTDU	C-IT-0200R-LOGUS gold; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 61.01LTBR	C-RQ-0600R-PIR-LOGUS white; CIB, Indoor PIR motion sensor, 2x AI / DI	46 817 Ft
	TXN 133 61.01LTMF	C-RQ-0600R-PIR-LOGUS ivory; CIB, interior PIR motion sensor, 2x AI / DI	46 904 Ft
	TXN 133 61.01LTGE	C-RQ-0600R-PIR-LOGUS ice; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01LTPE	C-RQ-0600R-PIR-LOGUS pearlescent; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01LTAL	C-RQ-0600R-PIR-LOGUS aluminum; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01LTIS	C-RQ-0600R-PIR-LOGUS dark gray; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01LTPM	C-RQ-0600R-PIR-LOGUS black; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01LTDU	C-RQ-0600R-PIR-LOGUS gold; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.02LTBR	C-RQ-0600R-RHT-LOGUS white; CIB, Indoor humidity and temperature sensor, 2x AI / DI	53 416 Ft
	TXN 133 61.02LTMF	C-RQ-0600R-RHT-LOGUS ivory; CIB, Indoor humidity and temperature sensor, 2x AI / DI	53 416 Ft

	TXN 133 61.02LTGE	C-RQ-0600R-RHT-LOGUS ice; CIB, Indoor humidity and temperature sensor, 2x AI / DI	55 259 Ft
	TXN 133 61.02LTPE	C-RQ-0600R-RHT-LOGUS pearl; CIB, Interior humidity and temperature sensor, 2x AI / DI	55 259 Ft
	TXN 133 61.02LTAL	C-RQ-0600R-RHT-LOGUS aluminum; CIB, Interior humidity and temperature sensor, 2x AI / DI	55 259 Ft
	TXN 133 61.02LTIS	C-RQ-0600R-RHT-LOGUS dark gray; CIB, Indoor humidity and temperature sensor, 2x AI / DI	55 259 Ft
	TXN 133 61.02LTPM	C-RQ-0600R-RHT-LOGUS black; CIB, Interior humidity and temperature sensor, 2x AI / DI	55 259 Ft
	TXN 133 61.02LTDU	C-RQ-0600R-RHT-LOGUS gold; CIB, Interior humidity and temperature sensor, 2x AI / DI	55 259 Ft
	TXN 133 61.03LTBR	C-RQ-0600R-CHT-LOGUS white; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	164 838 Ft
	TXN 133 61.03LTMF	C-RQ-0600R-CHT-LOGUS ivory; CIB, Interior sensor of CO2, temperature and humidity, 2x AI / DI	164 838 Ft
	TXN 133 61.03LTGE	C-RQ-0600R-CHT-LOGUS ice; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.03LTPE	C-RQ-0600R-CHT-LOGUS pearl; CIB, Interior sensor of CO2, temperature and humidity, 2x AI / DI	166 925 Ft
	TXN 133 61.03LTAL	C-RQ-0600R-CHT-LOGUS aluminum; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.03LTIS	C-RQ-0600R-CHT-LOGUS dark gray; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.03LTPM	C-RQ-0600R-CHT-LOGUS black; CIB, Interior sensor of CO2, temperature and humidity, 2x AI / DI	166 925 Ft
	TXN 133 61.03LTDU	C-RQ-0600R-CHT-LOGUS gold; CIB, Interior sensor of CO2, temperature and humidity, 2x AI / DI	166 925 Ft
	TXN 133 61.05LTBR	C-RQ-0600R-CO2-LOGUS white; CIB, Interior CO2 sensor, 1x AI / DI	151 649 Ft
	TXN 133 61.05LTMF	C-RQ-0600R-CO2-LOGUS ivory; CIB, Interior CO2 sensor, 1x AI / DI	151 649 Ft
	TXN 133 61.05LTGE	C-RQ-0600R-CO2-LOGUS ice; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05LTPE	C-RQ-0600R-CO2-LOGUS pearl; CIB, Interior CO2 sensor, 1x AI / DI,	154 110 Ft
	TXN 133 61.05LTAL	C-RQ-0600R-CO2-LOGUS aluminum; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft

	TXN 133 61.05LTIS	C-RQ-0600R-CO2-LOGUS dark gray; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05LTPM	C-RQ-0600R-CO2-LOGUS černý; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05LTDU	C-RQ-0600R-CO2-LOGUS gold; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
CFox - LOGUS, Frames			
	8020102513	Frame - 1 gang LOGUS, BASE / plastic / white	861 Ft
	8020102514	Frame - 1 gang LOGUS, BASE / plastic / ivory	861 Ft
	8020102515	Frame - 1 gang LOGUS, AQUARELLA / plastic - metallic, ice	2 930 Ft
	8020102516	Frame - 1 gang LOGUS, AQUARELLA / plastic - metallic, pearl	2 930 Ft
	8020102517	Frame - 1 gang LOGUS, AQUARELLA / plastic - metallic, grey	2 930 Ft
	8020102518	Frame - 1 gang LOGUS, AQUARELLA / plastic - metallic, alu	2 930 Ft
	8020104306	Frame - 1 gang LOGUS, AQUARELLA / plastic -metallic/ black	2 930 Ft
	8020104354	Frame - 1 gang LOGUS, AQUARELLA / plastic -metallic/ gold	2 930 Ft
	8020102519	Frame - 1 gang LOGUS, METALLO / inox / alu	14 728 Ft
	8020102520	Frame - 1 gang LOGUS, METALLO / alu / grey	14 728 Ft
	8020102521	Frame - 1 gang LOGUS, METALLO / nickel / grey	17 214 Ft
	8020102522	Frame - 1 gang LOGUS, METALLO / gold / pearl	15 301 Ft
	8020102523	Frame - 1 gang LOGUS, METALLO / chrom / grey	14 728 Ft
	8020102524	Frame - 1 gang LOGUS, METALLO / titan / pearl	14 728 Ft
	8020104365	Frame - 1 gang LOGUS, METALLO / gold / gold	15 301 Ft
	8020102529	Frame - 1 gang LOGUS, ARBORE / beech / pearl	27 543 Ft

	8020102530	Frame - 1 gang LOGUS, ARBORE / cherry / pearl	27 543 Ft
	8020102531	Frame - 1 gang LOGUS, ARBORE / walnut / alu	27 543 Ft
	8020102532	Frame - 1 gang LOGUS, ARBORE / mahagon / grey	27 543 Ft
	8020102525	Frame - 1 gang LOGUS, CRYSTAL / glass hardened, ice	23 717 Ft
	8020102526	Frame - 1 gang LOGUS, CRYSTAL / glass hardened, pearl	23 717 Ft
	8020102527	Frame - 1 gang LOGUS, CRYSTAL / glass hardened, grey	23 717 Ft
	8020102528	Frame - 1 gang LOGUS, CRYSTAL / glass hardened, alu	23 717 Ft
	8020103535	Frame - 1 gang LOGUS, CRYSTAL / tempered glass, black / pearl	23 717 Ft
	8020104361	Frame - 1 gang LOGUS, CRYSTAL / tempered glass, black / alu	23 717 Ft
	8020104362	Frame - 1 gang LOGUS, CRYSTAL / tempered glass, black / ice	23 717 Ft
	8020104363	Frame - 1 gang LOGUS, CRYSTAL / tempered glass, black / black	23 717 Ft
	8020104364	Frame - 1 gang LOGUS, CRYSTAL / tempered glass, black / gray	23 717 Ft
	8020102552	Frame - 1 gang LOGUS, PETRA / granite / ice	46 365 Ft
	8020102553	Frame - 1 gang LOGUS, PETRA / granite / pearl	46 365 Ft
	8020102554	Frame - 1 gang LOGUS, PETRA / granite / grey	46 061 Ft
	8020102555	Frame - 1 gang LOGUS, PETRA / granite / alu	46 061 Ft
	8020103078	Frame - 1 gang LOGUS, ANIMATO / ice / ice	3 904 Ft
	8020103079	Frame - 1 gang LOGUS, ANIMATO / orange / ice	3 904 Ft
	8020103080	Frame - 1 gang LOGUS, ANIMATO / ivory / ivory	2 330 Ft

	8020103081	Frame - 1 gang LOGUS, ANIMATO / pearl / pearl	3 904 Ft
	8020103082	Frame - 1 gang LOGUS, ANIMATO / yellow / ice	3 904 Ft
	8020103083	Frame - 1 gang LOGUS, ANIMATO / grey / grey	3 904 Ft
	8020103084	Frame - 1 gang LOGUS, ANIMATO / brick / gray	3 904 Ft
	8020103085	Frame - 1 gang LOGUS, ANIMATO / red / ice	3 904 Ft
	8020103086	Frame - 1 gang LOGUS, ANIMATO / blue / ice	3 904 Ft
	8020104355	Frame - 1 gang LOGUS, ANIMATO / black / aluminum	3 904 Ft
	8020104356	Frame - 1 gang LOGUS, ANIMATO / black / ice	3 904 Ft
	8020104357	Frame - 1 gang LOGUS, ANIMATO / black / grey	3 904 Ft
	8020104358	Frame - 1 gang LOGUS, ANIMATO / black / black	3 904 Ft
	8020104359	Frame - 1 gang LOGUS, ANIMATO / gold / ice	3 904 Ft
	8020104360	Frame - 1 gang LOGUS, ANIMATO / gold / gold	3 825 Ft
	8020103073	Frame - 1 gang LOGUS, ANIMATO / alu / alu	3 904 Ft
	8020103074	Frame - 1 gang LOGUS, ANIMATO / alu / grey	3 904 Ft
	8020103075	Frame - 1 gang LOGUS, ANIMATO / white / white	2 330 Ft
	8020103076	Frame - 1 gang LOGUS, ANIMATO / wine / grey	3 904 Ft
	8020103077	Frame - 1 gang LOGUS, ANIMATO / green / ice	3 904 Ft
CFox - DECENTE, Covers and devices			
	TXN 133 63	C-WS-0200R-Obzor; CIB, Control device with short-way control, 2x button, 1x LED red / green, 2x AI / DI, 1x internal temperature	30 081 Ft
	DSD 00-01001-0000 U	DSD 00-01001-0000 U01 Decente - snow white; Simple cover modified	1 287 Ft

	DSD 00-01002-0000 U	DSD 00-01002-0000 U01 Decente - anthracite; Simple cover modified	1 287 Ft
	DSD 00-01030-0000 U	DSD 00-01030-0000 U01 Decente - aluminum; Simple cover modified	5 147 Ft
	DSD 00-01031-0000 U	DSD 00-01031-0000 U01 Decente - graphite; Simple cover modified	5 147 Ft
	DSD 00-01032-0000 U	DSD 00-01032-0000 U01 Decente - gold; Simple cover modified	5 147 Ft
	DSD 00-01033-0000 U	DSD 00-01033-0000 U01 Decente - titanium; Simple cover modified	5 147 Ft
	DSD 00-01034-0000 U	DSD 00-01034-0000 U01 Decente - matt black; Simple cover modified	5 147 Ft
	DSD 00-01035-0000 U	DSD 00-01035-0000 U01 Decente - white matt; Simple cover modified	5 147 Ft
	TXN 133 64	C-WS-0400R-Obzor; CIB, Control device with short-travel control, 4x button, 2x LED red / green, 2x AI / DI, 1x internal temperature	40 166 Ft
	DSD 00-02001-0000 U	DSD 00-02001-0000 U01 Decente - snow white; Double cover modified	1 582 Ft
	DSD 00-02002-0000 U	DSD 00-02002-0000 U01 Decente - anthracite; Double cover modified	1 582 Ft
	DSD 00-02030-0000 U	DSD 00-02030-0000 U01 Decente - aluminum; Double cover modified	5 147 Ft
	DSD 00-02031-0000 U	DSD 00-02031-0000 U01 Decente - graphite; Double cover modified	5 147 Ft
	DSD 00-02032-0000 U	DSD 00-02032-0000 U01 Decente - gold; Double cover modified	5 147 Ft
	DSD 00-02033-0000 U	DSD 00-02033-0000 U01 Decente - titanium; Double cover modified	5 147 Ft
	DSD 00-02034-0000 U	DSD 00-02034-0000 U01 Decente - matt black; Double cover modified	5 147 Ft
	DSD 00-02035-0000 U	DSD 00-02035-0000 U01 Decente - white matt; Double cover modified	5 147 Ft
	TXN 133 79.OD01	C-RS-0200R-Decente, snow white; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.OD02	C-RS-0200R-Decente, anthracite black; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.OD30	C-RS-0200R-Decente, aluminum; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft

	TXN 133 79.OD31	C-RS-0200R-Decente, graphite; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.OD32	C-RS-0200R-Decente, gold; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.OD33	C-RS-0200R-Decente, titanium; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.OD34	C-RS-0200R-Decente, matte black; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.OD35	C-RS-0200R-Decente, matt white; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 33.OD01	C-RC-0002R-Decente, snow white; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	63 857 Ft
	TXN 133 33.OD02	C-RC-0002R-Decente, anthracite black; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	63 857 Ft
	TXN 133 33.OD30	C-RC-0002R-Decente, aluminum; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	64 466 Ft
	TXN 133 33.OD31	C-RC-0002R-Decente, graphite; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	64 466 Ft
	TXN 133 33.OD32	C-RC-0002R-Decente, gold; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	64 466 Ft
	TXN 133 33.OD33	C-RC-0002R-Decente, titanium; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	64 466 Ft
	TXN 133 33.OD34	C-RC-0002R-Decente, black matt; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	64 466 Ft
	TXN 133 33.OD35	C-RC-0002R-Decente, white matt; CIB, Wall controller with LCD1, 3 buttons, temperature sensor	64 466 Ft
	TXN 133 37.OD01	C-RC-0003R-Decente, snow white; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor;	77 976 Ft
	TXN 133 37.OD02	C-RC-0003R-Decente, anthracite black; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor;	77 976 Ft
	TXN 133 37.OD30	C-RC-0003R-Decente, aluminum; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor;	79 202 Ft
	TXN 133 37.OD31	C-RC-0003R-Decente, graphite; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor;	79 202 Ft
	TXN 133 37.OD32	C-RC-0003R-Decente, gold; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor;	79 202 Ft
	TXN 133 37.OD33	C-RC-0003R-Decente, titanium; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor;	79 202 Ft

	TXN 133 37.OD34	C-RC-0003R-Decente, black matt; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor;	79 202 Ft
	TXN 133 37.OD35	C-RC-0003R-Decente, white matt; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor;	79 202 Ft
	TXN 133 53.01OD01	C-WG-0503R-T-Decente, snow white; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01OD02	C-WG-0503R-T-Decente, anthracite black; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01OD30	C-WG-0503R-T-Decente, aluminum; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01OD31	C-WG-0503R-T-Decente, graphite; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01OD32	C-WG-0503R-T-Decente, gold; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01OD33	C-WG-0503R-T-Decente, titanium; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01OD34	C-WG-0503R-T-Decente, black matt; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 53.01OD35	C-WG-0503R-T-Decente, white matt; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL	77 976 Ft
	TXN 133 20.OD01	C-IT-0200R-Decente, snow white; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.OD02	C-IT-0200R-Decente, anthracite black; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.OD30	C-IT-0200R-Decente, aluminum; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.OD31	C-IT-0200R-Decente, graphite; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.OD32	C-IT-0200R-Decente, gold; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.OD33	C-IT-0200R-Decente, titanium; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.OD34	C-IT-0200R-Decente, black matt; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 20.OD35	C-IT-0200R-Decente, white matt; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external)	42 974 Ft
	TXN 133 61.02OD01	C-RQ-0600R-RHT-Decente, snow white; CIB, Interior humidity and temperature sensor, 2x AI / DI	52 190 Ft

	TXN 133 61.02OD02	C-RQ-0600R-RHT-Decente, anthracite black; CIB, Interior humidity and temperature sensor, 2x AI / DI	52 190 Ft
	TXN 133 61.02OD30	C-RQ-0600R-RHT-Decente, aluminum; CIB, Interior humidity and temperature sensor, 2x AI / DI	53 416 Ft
	TXN 133 61.02OD31	C-RQ-0600R-RHT-Decente, graphite; CIB, Interior humidity and temperature sensor, 2x AI / DI	53 416 Ft
	TXN 133 61.02OD32	C-RQ-0600R-RHT-Decente, gold; CIB, Interior humidity and temperature sensor, 2x AI / DI	53 416 Ft
	TXN 133 61.02OD33	C-RQ-0600R-RHT-Decente, titanium; CIB, Interior humidity and temperature sensor, 2x AI / DI	53 416 Ft
	TXN 133 61.02OD34	C-RQ-0600R-RHT-Decente, black matt; CIB, Interior humidity and temperature sensor, 2x AI / DI	53 416 Ft
	TXN 133 61.02OD35	C-RQ-0600R-RHT-Decente, white matt; CIB, Interior humidity and temperature sensor, 2x AI / DI	53 416 Ft
	TXN 133 61.01OD01	C-RQ-0600R-PIR-Decente, snow white; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01OD02	C-RQ-0600R-PIR-Decente, anthracite black; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01OD30	C-RQ-0600R-PIR-Decente, aluminum; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01OD31	C-RQ-0600R-PIR-Decente, graphite; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01OD32	C-RQ-0600R-PIR-Decente, gold; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01OD33	C-RQ-0600R-PIR-Decente, titanium; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01OD34	C-RQ-0600R-PIR-Decente, black matt; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01OD35	C-RQ-0600R-PIR-Decente, white matt; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.03OD01	C-RQ-0600R-CHT-Decente, snow white; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 386 Ft
	TXN 133 61.03OD02	C-RQ-0600R-CHT-Decente, anthracite black; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 386 Ft
	TXN 133 61.03OD30	C-RQ-0600R-CHT-Decente, aluminum; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	168 229 Ft
	TXN 133 61.03OD31	C-RQ-0600R-CHT-Decente, graphite; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	168 229 Ft

	TXN 133 61.03OD32	C-RQ-0600R-CHT-Decente, gold; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	168 229 Ft
	TXN 133 61.03OD33	C-RQ-0600R-CHT-Decente, titanium; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	168 229 Ft
	TXN 133 61.03OD34	C-RQ-0600R-CHT-Decente, black matt; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	168 229 Ft
	TXN 133 61.03OD35	C-RQ-0600R-CHT-Decente, white matt; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	168 229 Ft
	TXN 133 61.05OD01	C-RQ-0600R-CO2-Decente, snow white; CIB, Interior CO2 sensor, 1x AI / DI	139 991 Ft
	TXN 133 61.05OD02	C-RQ-0600R-CO2-Decente, anthracite black; CIB, Interior CO2 sensor, 1x AI / DI	139 991 Ft
	TXN 133 61.05OD30	C-RQ-0600R-CO2-Decente, aluminum; CIB, Interior CO2 sensor, 1x AI / DI	141 217 Ft
	TXN 133 61.05OD31	C-RQ-0600R-CO2-Decente, graphite; CIB, Interior CO2 sensor, 1x AI / DI	141 217 Ft
	TXN 133 61.05OD32	C-RQ-0600R-CO2-Decente, gold; CIB, Interior CO2 sensor, 1x AI / DI	141 217 Ft
	TXN 133 61.05OD33	C-RQ-0600R-CO2-Decente, titanium; CIB, Interior CO2 sensor, 1x AI / DI	141 217 Ft
	TXN 133 61.05OD34	C-RQ-0600R-CO2-Decente, black matt; CIB, Interior CO2 sensor, 1x AI / DI	141 217 Ft
	TXN 133 61.05OD35	C-RQ-0600R-CO2-Decente, white matt; CIB, Interior CO2 sensor, 1x AI / DI	141 217 Ft
CFox - DECENTE, Frames			
	8020103105	Frame - 1 gang Decente, glass milk white	10 050 Ft
	8020103106	Frame - 1 gang Decente, glass brick orange	10 050 Ft
	8020103107	Frame - 1 gang Decente, glass dove grey	10 050 Ft
	8020103108	Frame - 1 gang Decente, glass mint green	10 050 Ft
	8020103109	Frame - 1 gang Decente, glass cherry red	10 050 Ft
	8020103110	Frame - 1 gang Decente, glass palm green	10 050 Ft
	8020103111	Frame - 1 gang Decente, glass chocolate brown	10 050 Ft

	8020103112	Frame - 1 gang Decente, oak	8 937 Ft
	8020103113	Frame - 1 gang Decente, walnut	8 937 Ft
	8020103114	Frame - 1 gang Decente, mahagony	8 937 Ft
	8020103115	Frame - 1 gang Decente, aluminium	18 988 Ft
	8020103116	Frame - 1 gang Decente, stainless steel	18 988 Ft
CFox - ELEGANT, Covers and devices			
	TXN 133 63	C-WS-0200R-Obzor; CIB, Control device with short-way control, 2x button, 1x LED red / green, 2x AI / DI, 1x internal temperature	30 081 Ft
	DSE00-01001-000000	DSE00-01001-000000 U01, Switch cover simple, modified - Elegant snow white	1 304 Ft
	DSE00-01002-000000	DSE00-01002-000000 U01, Switch cover simple, modified - Elegant anthracite black	1 304 Ft
	DSE00-01003-000000	DSE00-01003-000000 U01, Switch cover simple, modified - Elegant smoke gray	1 304 Ft
	DSE00-01030-000000	DSE00-01030-000000 U01, Switch cover simple, modified - Elegant aluminum	3 721 Ft
	DSE00-01031-000000	DSE00-01031-000000 U01, Switch cover simple, modified - Elegant graphite	3 721 Ft
	DSE00-01032-000000	DSE00-01032-000000 U01, Switch cover simple, modified - Elegant gold	3 721 Ft
	DSE00-01033-000000	DSE00-01033-000000 U01, Switch cover simple, modified - Elegant titanium	3 721 Ft
	TXN 133 64	C-WS-0400R-Obzor; CIB, Control device with short-travel control, 4x button, 2x LED red / green, 2x AI / DI, 1x internal temperature	40 166 Ft
	DSE00-02001-000000	DSE00-02001-000000 U01, Switch cover double, modified - Elegant snow white	948 Ft
	DSE00-02002-000000	DSE00-02002-000000 U01, Switch cover double, modified - Elegant anthracite black	948 Ft
	DSE00-02003-000000	DSE00-02003-000000 U01, Switch cover double, modified - Elegant smoke gray	948 Ft
	DSE00-02030-000000	DSE00-02030-000000 U01, Switch cover double, modified - Elegant aluminum	3 956 Ft
	DSE00-02031-000000	DSE00-02031-000000 U01, Switch cover double, modified - Elegant graphite	3 956 Ft

	DSE00-02032-000000	DSE00-02032-000000 U01, Switch cover double, modified - Elegant gold	3 956 Ft
	DSE00-02033-000000	DSE00-02033-000000 U01, Switch cover double, modified - Elegant titanium	3 956 Ft
CFox - ELEGANT, Frames			
	8020102599	Frame - 1 gang, Elegant snow white	922 Ft
	8020102611	Frame - 1 gang, Elegant anthracite black	922 Ft
	8020103117	Frame - 1 gang, Elegant smoke grey	922 Ft
	8020103160	Frame - 1 gang, Elegant peach orange	922 Ft
	8020102783	Frame - 1 gang, Elegant brown	922 Ft
	8020102650	Frame - 1 gang, Elegant aluminium	2 530 Ft
	8020102500	Frame - 1 gang, Elegant graphite	2 530 Ft
	8020103118	Frame - 1 gang, Elegant gold	2 530 Ft
	8020103119	Frame - 1 gang, Elegant titan	2 530 Ft
CFox - Time, Covers and devices			
	TXN 133 73	C-WS-0200R-ABB; CIB, Control device with short-path control, 2x button, 1x LED red / green, 2x AI / DI, 1x internal temperature	38 062 Ft
	3558E-A00651 01 U01	3558E-A00651 01 U01, Time white / ice white, Rocker switch cover modified	2 060 Ft
	3558E-A00651 03 U01	3558E-A00651 03 U01, Time white / white, Rocker switch cover modified	2 060 Ft
	3558E-A00651 04 U01	3558E-A00651 04 U01, Time white / ice gray, Rocker switch cover modified	2 295 Ft
	3558E-A00651 08 U01	3558E-A00651 08 U01, Time titanium, Rocker switch cover modified	4 434 Ft
	3558E-A00651 21 U01	3558E-A00651 21 U01, Time ivory / ice white, Rocker switch cover modified	2 452 Ft
	3558E-A00651 25 U01	3558E-A00651 25 U01, Time coffee / ice opal, Rocker switch cover modified	2 452 Ft
	3558E-A00651 26 U01	3558E-A00651 26 U01, Time lungo / milky white, Rocker switch cover modified	2 452 Ft

	3558E-A00651 32 U01	3558E-A00651 32 U01, Time antique silver, Rocker switch cover modified	4 434 Ft
	3558E-A00651 33 U01	3558E-A00651 33 U01, Time champagne, Rocker switch cover modified	4 434 Ft
	3558E-A00651 34 U01	3558E-A00651 34 U01, Time anthracite, Rocker switch cover modified	4 434 Ft
	3558E-A00651 36 U01	3558E-A00651 36 U01, Time steel, Rocker switch cover modified	4 434 Ft
	TXN 133 74	C-WS-0400R-ABB; CIB, 4 buttons, instrument drivers for ABB designs, 2x LED R/G, 2x AI/DI, 1x internal temperature, cover and frame orders separately	45 435 Ft
	3558E-A00652 01 U01	3558E-A00652 01 U01 - ABB, Time, white / ice white, Rocker switch cover divided, modified	2 591 Ft
	3558E-A00652 03 U01	3558E-A00652 03 U01 - ABB, Time, white / white. Rocker switch cover divided, modified	2 591 Ft
	3558E-A00652 04 U01	3558E-A00652 04 U01 - ABB, Time, white / ice gray, Rocker switch cover divided, modified	2 852 Ft
	3558E-A00652 08 U01	3558E-A00652 08 U01 - ABB, Time, titanium, Rocker switch cover divided, modified	5 460 Ft
	3558E-A00652 21 U01	3558E-A00652 21 U01 - ABB, Time, ivory / ice white, Rocker switch cover divided, modified	3 165 Ft
	3558E-A00652 25 U01	3558E-A00652 25 U01 - ABB, Time, coffee / ice opal, Rocker switch cover divided, modified	3 165 Ft
	3558E-A00652 26 U01	3558E-A00652 26 U01 - ABB, Time, lungo / milky white, Rocker switch cover divided, modified	3 165 Ft
	3558E-A00652 32 U01	3558E-A00652 32 U01 - ABB, Time, antique silver, Rocker switch cover divided, modified	5 460 Ft
	3558E-A00652 33 U01	3558E-A00652 33 U01 - ABB, Time, champagne, Rocker switch cover divided, modified	5 460 Ft
	3558E-A00652 34 U01	3558E-A00652 34 U01 - ABB, Time, anthracite, Rocker switch cover divided, modified	5 460 Ft
	3558E-A00652 36 U01	3558E-A00652 36 U01 - ABB, Time, steel, Rocker switch cover divided, modified	5 460 Ft
	TXN 133 79.Ti01	C-RS-0200R-Time white / ice white; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.Ti03	C-RS-0200R-Time white / white; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.Ti04	C-RS-0200R-Time white / ice gray; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft

	TXN 133 79.Ti08	C-RS-0200R-Time titanium; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.Ti21	C-RS-0200R-Time ivory / ice white; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.Ti25	C-RS-0200R-Time coffee / ice opal; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.Ti26	C-RS-0200R-Time lungo / milky white; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.Ti32	C-RS-0200R-Time antique silver; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.Ti33	C-RS-0200R-Time champagne; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.Ti34	C-RS-0200R-Time anthracite; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 79.Ti36	C-RS-0200R-Time steel; CIB, device rotary knob + button, temperature sensor, 2x AI	33 159 Ft
	TXN 133 33.Ti01	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, white / ice white	64 466 Ft
	TXN 133 33.Ti03	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, white / white	64 466 Ft
	TXN 133 33.Ti04	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, white/ ice gray	65 692 Ft
	TXN 133 33.Ti08	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, titanium	65 692 Ft
	TXN 133 33.Ti21	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, ivory / ice white	65 083 Ft
	TXN 133 33.Ti25	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, coffee / ice opal	65 692 Ft
	TXN 133 33.Ti26	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, lungo / milky white	65 692 Ft
	TXN 133 33.Ti32	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, antique silver	65 692 Ft
	TXN 133 33.Ti33	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, champagne	65 692 Ft
	TXN 133 33.Ti34	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, anthracite	65 692 Ft
	TXN 133 33.Ti36	C-RC-0002R-Time; CIB, Wall controller with LCD1, 3 buttons, temperature sensor, steel	65 692 Ft

	TXN 133 37.Ti01	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; white / ice white	79 820 Ft
	TXN 133 37.Ti03	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; white / white	79 820 Ft
	TXN 133 37.Ti04	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; white / ice gray	81 045 Ft
	TXN 133 37.Ti08	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; titanium	81 045 Ft
	TXN 133 37.Ti21	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; ivory / ice white	80 428 Ft
	TXN 133 37.Ti25	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; coffee / ice opal	80 428 Ft
	TXN 133 37.Ti26	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor, lungo / milky white	81 045 Ft
	TXN 133 37.Ti32	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; antique silver	81 045 Ft
	TXN 133 37.Ti33	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; champagne	81 045 Ft
	TXN 133 37.Ti34	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; anthracite	81 045 Ft
	TXN 133 37.Ti36	C-RC-0003R-Time; CIB, Wall controller with LCD-HL1, 3 buttons, temperature and humidity sensor; steel	81 045 Ft
	TXN 133 47.Ti01	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, white / ice white	65 692 Ft
	TXN 133 47.Ti03	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, white / white	65 692 Ft
	TXN 133 47.Ti04	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, white/ ice gray	65 692 Ft
	TXN 133 47.Ti08	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, titanium	66 918 Ft
	TXN 133 47.Ti21	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, ivory / ice white	65 692 Ft
	TXN 133 47.Ti25	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, coffee / ice opal	65 692 Ft
	TXN 133 47.Ti26	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, lungo / milky white	66 918 Ft
	TXN 133 47.Ti32	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, antique silver	66 918 Ft

	TXN 133 47.Ti33	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, champagne	66 918 Ft
	TXN 133 47.Ti34	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, anthracite	66 918 Ft
	TXN 133 47.Ti36	C-RI-0401R-Time; CIB, Indoor IR receiver / transmitter, sensors: 1x light intensity, 1xtemperature, 1x AI / DI, steel	66 918 Ft
	TXN 133 53.01Ti01	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, white / ice white	77 359 Ft
	TXN 133 53.01Ti03	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, white / white	77 359 Ft
	TXN 133 53.01Ti04	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, white/ ice gray	77 359 Ft
	TXN 133 53.01Ti08	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, titanium	78 594 Ft
	TXN 133 53.01Ti21	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, ivory / ice white	77 976 Ft
	TXN 133 53.01Ti25	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, coffee / ice opal	77 976 Ft
	TXN 133 53.01Ti26	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, lungo / milky white	78 594 Ft
	TXN 133 53.01Ti32	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, antique silver	78 594 Ft
	TXN 133 53.01Ti33	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, champagne	78 594 Ft
	TXN 133 53.01Ti34	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, anthracite	78 594 Ft
	TXN 133 53.01Ti36	C-WG-0503R-Time; CIB, Interior RFID reader, 2x LED, 1x buzzer, 1x temperature sensor, 1x DI TTL, steel	78 594 Ft
	TXN 133 61.01Ti01	C-RQ-0600R-PIR-Time white / ice white; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01Ti03	C-RQ-0600R-PIR-Time white / white; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01Ti04	C-RQ-0600R-PIR-Time white/ ice gray; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01Ti08	C-RQ-0600R-PIR-Time titanium; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01Ti21	C-RQ-0600R-PIR-Time ivory / ice white; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft

	TXN 133 61.01Ti25	C-RQ-0600R-PIR-Time coffee / ice opal; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01Ti26	C-RQ-0600R-PIR-Time lungo / milky white; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01Ti32	C-RQ-0600R-PIR-Time antique silver; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01Ti33	C-RQ-0600R-PIR-Time champagne; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01Ti34	C-RQ-0600R-PIR-Time anthracite; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 61.01Ti36	C-RQ-0600R-PIR-Time steel; CIB, Indoor PIR motion sensor, 2x AI / DI	49 121 Ft
	TXN 133 20.Ti01	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), white / ice white	34 567 Ft
	TXN 133 20.Ti03	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), white / white	34 567 Ft
	TXN 133 20.Ti04	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), white/ ice gray	35 854 Ft
	TXN 133 20.Ti08	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), titanium	35 611 Ft
	TXN 133 20.Ti21	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), ivory / ice white	35 306 Ft
	TXN 133 20.Ti25	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), coffee / ice opal	35 306 Ft
	TXN 133 20.Ti26	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), lungo / milky white	35 306 Ft
	TXN 133 20.Ti32	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), antique silver	35 854 Ft
	TXN 133 20.Ti33	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), champagne	35 854 Ft
	TXN 133 20.Ti34	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), anthracite	35 854 Ft
	TXN 133 20.Ti36	C-IT-0200R-Time; CIB, Indoor temperature sensor, 2x temperature (1x internal, 1x external), steel	35 854 Ft
	TXN 133 61.02Ti01	C-RQ-0600R-RHT-Time white / ice white; CIB, Interior humidity and temperature sensor, 2x AI / DI	52 799 Ft
	TXN 133 61.02Ti03	C-RQ-0600R-RHT-Time white / white; CIB, Interior humidity and temperature sensor, 2x AI / DI	52 799 Ft

	TXN 133 61.02Ti04	C-RQ-0600R-RHT-Time white/ ice gray; CIB, Interior humidity and temperature sensor, 2x AI / DI	52 799 Ft
	TXN 133 61.02Ti08	C-RQ-0600R-RHT-Time titanium; CIB, Interior humidity and temperature sensor, 2x AI / DI	54 033 Ft
	TXN 133 61.02Ti21	C-RQ-0600R-RHT-Time ivory / ice white; CIB, Interior humidity and temperature sensor, 2x AI / DI	52 799 Ft
	TXN 133 61.02Ti25	C-RQ-0600R-RHT-Time coffee / ice opal; CIB, Interior humidity and temperature sensor, 2x AI / DI	52 799 Ft
	TXN 133 61.02Ti26	C-RQ-0600R-RHT-Time lungo / milky white; CIB, Interior humidity and temperature sensor, 2x AI / DI	52 799 Ft
	TXN 133 61.02Ti32	C-RQ-0600R-RHT-Time antique silver; CIB, Interior humidity and temperature sensor, 2x AI / DI	54 033 Ft
	TXN 133 61.02Ti33	C-RQ-0600R-RHT-Time champagne; CIB, Interior humidity and temperature sensor, 2x AI / DI	54 033 Ft
	TXN 133 61.02Ti34	C-RQ-0600R-RHT-Time anthracite; CIB, Interior humidity and temperature sensor, 2x AI / DI	54 033 Ft
	TXN 133 61.02Ti36	C-RQ-0600R-RHT-Time steel; CIB, Interior humidity and temperature sensor, 2x AI / DI	54 033 Ft
	TXN 133 61.03Ti01	C-RQ-0600R-CHT-Time white/ice white; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	164 838 Ft
	TXN 133 61.03Ti03	C-RQ-0600R-CHT-Time white/white; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI, white/ice white	164 838 Ft
	TXN 133 61.03Ti04	C-RQ-0600R-CHT-Time white/ ice gray; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	164 838 Ft
	TXN 133 61.03Ti08	C-RQ-0600R-CHT-Time titanium; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.03Ti21	C-RQ-0600R-CHT-Time ivory / ice white; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.03Ti25	C-RQ-0600R-CHT-Time coffee / ice opal; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.03Ti26	C-RQ-0600R-CHT-Time lungo / milky white; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.03Ti32	C-RQ-0600R-CHT-Time antique silver; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.03Ti33	C-RQ-0600R-CHT-Time champagne; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.03Ti34	C-RQ-0600R-CHT-Time anthracite; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft

	TXN 133 61.03Ti36	C-RQ-0600R-CO2-Time steel; CIB, Indoor CO2, temperature and humidity sensor, 2x AI / DI	166 925 Ft
	TXN 133 61.05Ti01	C-RQ-0600R-CO2-Time, white / ice white; CIB, Interior CO2 sensor, 1x AI / DI	151 797 Ft
	TXN 133 61.05Ti03	C-RQ-0600R-CO2-Time, white / white; CIB, Interior CO2 sensor, 1x AI / DI	151 797 Ft
	TXN 133 61.05Ti04	C-RQ-0600R-CO2-Time, white/ ice gray; CIB, Interior CO2 sensor, 1x AI / DI	151 797 Ft
	TXN 133 61.05Ti08	C-RQ-0600R-CO2-Time, titanium; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05Ti21	C-RQ-0600R-CO2-Time, ivory / ice white; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05Ti25	C-RQ-0600R-CO2-Time, coffee / ice opal; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05Ti26	C-RQ-0600R-CO2-Time, lungo / milky white; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05Ti32	C-RQ-0600R-CO2-Time, antique silver; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05Ti33	C-RQ-0600R-CO2-Time, champagne; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05Ti34	C-RQ-0600R-CO2-Time, anthracite; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
	TXN 133 61.05Ti36	C-RQ-0600R-CO2-Time, steel; CIB, Interior CO2 sensor, 1x AI / DI	154 110 Ft
CFox - Time, Frames			
	8020102341	Frame 1-gang, Time white / ice white	1 382 Ft
	8020102343	Frame 1-gang, Time white / white	1 382 Ft
	8020102344	Frame 1-gang, Time titan	2 695 Ft
	8020104351	Frame 1-gang, Time lungo / milky white	1 548 Ft
	8020102346	Frame 1-gang, Time old silver	2 695 Ft
	8020102347	Frame 1-gang, Time champagne	2 695 Ft
	8020102348	Frame 1-gang, Time anthracit	2 695 Ft

	8020104352	Frame 1-gang, Time Steel	2 704 Ft
	8020102349	Frame 1-gang, Element white / ice white	1 382 Ft
	8020102350	Frame 1-gang, Element white / white	1 382 Ft
	8020102351	Frame 1-gang, Element white / ice grey	1 382 Ft
	8020102353	Frame 1-gang, Element ivory / ice white	1 548 Ft
	8020103046	Frame 1-gang, Element coffee / ice opal	1 539 Ft
	8020102421	Frame 1-gang, Time Arbo natural maple	16 484 Ft
	8020102422	Frame 1-gang, Time Arbo alder	16 484 Ft
	8020102423	Frame 1-gang, Time Arbo cherry tree	16 484 Ft
	8020102424	Frame 1-gang, Time Arbo mahagon	16 484 Ft
	8020104366	Frame 1-gang, Time Arbo wenge	16 771 Ft
	8020102760	Frame 1-gang, Element white, for electrical installation devices IP44	2 634 Ft
	8020104367	Frame 1-gang, Element ivory, for electrical installation devices IP44	3 060 Ft
	8020104368	Frame 1-gang, Element coffee, for electrical installation devices IP44	3 069 Ft
RFox2 - wireless network			
RFox2 - System Modules			
	TXN 111 11.A	SC-1111-A; RF interface for RFox2, radio type A	55 815 Ft
	TXN 143 15.A	C-RF-0001M-A; RFox2 Mini Master, CIB / RFox2 interface, type A radio	40 749 Ft
	TXN 121 31.A	RF-2131-A; Single-channel external master of the RFox2 network, on the TCL2 system bus	56 076 Ft
RFox2 - Antennas 868 MHz			
	8020102671	AN-06; ISM Antenna, RFox2, 868 / 915MHz; 50 Ohm, 2.15 dBi, SMA (m), screwed with joint	4 095 Ft

	1410101014	Antenna ISM, RFox2, 868MHz, 2dBi, 50 Ohm, SMA M, 0.2 m, IP67, outdoor, screw	15 241 Ft
	8020104289	2JW0315-868-C675B; ISM 868MHz antenna; SMA (m), with screw joint	3 017 Ft
RFox2 - DIN Rail Modules			
	TXN 132 43.A	R-SL-0201L-A; RFox2, 2x AI/DI, 1x RO-800A NO contact, radio type A	52 190 Ft
	TXN 142 09.A	R-EM-0300M-A; RFox2 fast electricity meter/quality meter, power supply 230 V AC/DC, 3x U, 3x I - for current transformer x:333 mV, radio type A	96 582 Ft
	TXN 142 17.A	R-IS-0201M-A; RFox2, 2x AI / DI, 1x AO / PWM- for control of external SSR, 1f, radio type A	45 209 Ft
	TXN 142 18.A	R-IS-0203M-A; RFox2, 2x AI / DI, 3x AO / PWM- for control of external SSR, 3f, radio type A	53 025 Ft
	TXN 142 22.A	R-DL-0203L-A; RFox2, 2x AI / DI, 3x DALI (broadcast), type A radio	48 556 Ft
RFox2 - Built-in Modules			
	TXN 132 26.A	R-IT-0500S-A; RFox2, 4x DI dry contact, 1x temperature, battery, radio type A	27 908 Ft
	TXN 132 05.A	R-OR-0201B-A; RFox2, 2x DI, 1x RO-800A NO contact, radio type A	40 184 Ft
	TXN 132 70.A	R-LC-0202B-A; RFox2, 2x DI, 2x RO-800A NO contact, radio type A	40 749 Ft
	TXN 132 69.A	R-JC-0201B-A; RFox2, 1x louver actuator - (2x RO - dependent switching, local function), 2x DI, radio type A	39 071 Ft
RFox2 - Interior Modules			
	TXN 132 08.A	R-KF-0500T-A; RFox2, keyfob, 5 buttons, radio type A	37 393 Ft
Communication modules			
Communication - Ethernet			
	TXN 111 62	SX-1162; ETH switch, 5x 10/100base TX; IEEE802.3, unmanaged	62 684 Ft
	8020104000	KNX IP BAOS 773, IP gateway for 250 objects in KNX network, PoE	228 530 Ft
	8020103647	KNX IP BAOS 774, IP gateway for 1000 objects in KNX network, PoE	257 690 Ft
Communications - Serial ports			
	TXN 112 05	UC-1205; SMS Gateway, dual band (900 / 1800MHz)	100 077 Ft
	TXN 111 81	SX-1181, M-bus - RS-232 converter	78 142 Ft

	8020102742	AO-AGSM-MG5S; Antenna GSM, 900/1800MHz; Magnetic 50 Ohm, 5dB, SMA(m), cable RG174/U, 3m	5 512 Ft
	8020103747	2JW031-C675; GSM / 3G / WIFI / BT Antenna, 3dBi, 50 Ohm, SMA (m), screw with joint	3 217 Ft
Displays, HMI-Human Machine Interface			
HMI - Graphic touch panels			
	TXN 054 44.11	ID-31, capacitive touch panel on the wall, 4.3' TFT 480x272 pxl, Ethernet 10 / 100Base, RS-485, with frame - Aluminum (TAL)	229 522 Ft
	TXN 054 44.12	D-31, capacitive touch panel on the wall, 4.3' TFT 480x272 pxl, Ethernet 10 / 100Base, RS-485, with frame - gray (Light Charcoal)	229 522 Ft
	TXN 054 44.13	ID-31, capacitive touch panel on wall, 4.3' TFT 480x272 pxl, Ethernet 10 / 100Base, RS-485, with frame - white	229 522 Ft
	TXN 054 44.14	ID-31, On wall touch panel capacitive, 4.3' TFT 480x272 px, Ethernet 10/100Base, RS-485, with frame - anthracite	229 522 Ft
	TXN 054 45.01	ID-32, built-in touch panel, resistive 4.3' TFT 480x272 px, Ethernet 10 / 100Base, RS-485, with aluminum frame (TAL)	224 305 Ft
	TXN 054 45.04	ID-32, built-in touch panel, resistive 4.3' TFT 480x272 px, Ethernet 10 / 100Base, RS-485, with frame - gray (Light Charcoal)	224 305 Ft
	TXN 054 45.05	ID-32, built-in touch panel, resistive 4.3' TFT 480x272 px, Ethernet 10 / 100Base, RS-485, with frame - white	224 305 Ft
	TXN 054 45.06	ID-32, built-in touch panel, resistive 4.3' TFT 480x272 px, Ethernet 10 / 100Base, RS-485, Frame - anthracite	224 305 Ft
	TXN 054 50.01	ID-36 Operator Panel, Resistive TFT Panel 10 ", Panel Type	437 134 Ft
	1060401054	APPC-7XPL, 7 " Touch panel, 1024 x 600, Android 8, 240 cd / m2, USB, LAN, WIFI, VESA unique pattern, pogo connector, Black Plastic, PoE	338 162 Ft
	1060401055	APPC-10XP, 10 "touch panel, 1280 x 800, Android 9, 500 cd / m2, USB, LAN, HDMI, WIFI, BT, VESA 75, pogo connector, Black Plastic, PoE	420 025 Ft
	1060401064	APPC-10XPL, 10.1" touch panel, 1280x800, Android 9, 500 cd/m2, USB, LAN, HDMI, WIFI, BT, VESA 75, pogo, PoE, LED	434 561 Ft
	1060401063	APPC-10XPLNW, 10.1" touch panel, 1280x800, Android 9, 500 cd/m2, USB, LAN, HDMI, WIFI, BT, NFC, VESA 75, pogo connector, PoE, LED, white	452 923 Ft
	1060401059	APPC-15XP, 15.6" touch panel, 1920x1080, Android 9, 300 cd / m2, USB, LAN, HDMI, WIFI, BT, VESA 100, pogo connector, PoE	564 623 Ft
	1060401050	APPC-17EL, 17.3 "touch panel, 1920x1080, Android 8.1, 250 cd / m2, USB, LAN, WIFI, BT, VESA 100, front camera	616 648 Ft
	1060401060	APPC-22XP, 21.5 "touch panel, 1920x1080, Android 9, 250 cd / m2, USB, LAN, WIFI, BT, VESA 100, PoE	862 236 Ft
	8020103810	T510B, VESA 75/100; Bracket for mounting devices <25 kg on the wall	10 433 Ft

HMI - Alphanumeric panels			
	TXN 054 33	ID-14 LCD operator panel 4x20 characters (TCL2 bus connection)	145 120 Ft
	TXN 054 37	ID-17, Graphic Operator Panel, LCD 240x64px monochrome, 12 keys, 4DI, 2RO, (TCL2)	235 260 Ft
	TXN 054 33.01	ID-14 4x20 character LCD panel (TCL2) with Tecoreg front panel	292 988 Ft
	TXF 790 24	SM-9024 Set for Mounting ID-14, ID-17 on DIN Rail	4 799 Ft
	TXF 790 25	SM-9025 kit for fixing basic module Foxtrot ID-14, ID-17	1 452 Ft
Sensors, meters, communicators			
Temperature - Indoor sensors, on cable			
	TXN 134 02.01	S-TS-01R-Tango; white/white, Temperature sensor NTC 12k	11 998 Ft
	8020102632	P10PA, Indoor temperature sensor Pt1000, -30..+80°C, IP30	10 172 Ft
	1290101036	SK8NTC 12k-2SN-0.1; Temperature sensor NTC12k, diameter 6.8x26mm, zinc.brass, 0.1m silicon cable MC ECS 2x0,5mm2, -50..125°C, IP67	7 912 Ft
	8020102746	SK8S-2PS-1, Temperature sensor Ni1000/6180ppm, diameter 6.8x26mm, zinc. brass, 1m cable LiYCY-2x0.34, IP67, -40..200°C (cabel -30..80°C)	10 285 Ft
	8020102767	SK8NTC 12k-2SN-1; Temperature sensor NTC12k, O6.8x25mm, zinc.brass, 1m silicon cable MC ECS3x0,5mm2, -50..125°C	7 912 Ft
	1290101049	SK8NTC 12k-2SN-3; Temperature sensor NTC12k, 6.8x26mm, zinc.brass, 3m silicon cable MC ECS 2x0,5mm2, -50..125°C, IP67	11 867 Ft
	1290101050	SK8NTC 12k-2SN-6; Temperature sensor NTC12k, 6.8x26mm, zinc.brass, 6m silicon cable MC ECS 2x0,5mm2, -50..125°C, IP67	16 849 Ft
	8020102630	SK2PA-2SS-1, Temperature sensor Pt1000/3850ppm, 6x60mm, stainless steel, 1m-cable MCBE-AFEP-2x0.22, IP67, -40..200°C	9 085 Ft
	8020102897	SK2PA-2SS-2, Temperature sensor Pt1000/3850ppm, 6x60mm, stainless steel, 2m-cable MCBE-AFEP-2x0.22, IP67, -40..200°C	12 206 Ft
	8020102730	SK2PA-2SS-10, Temperature sensor Pt1000/3850ppm, 6x60mm, stainless steel, 10m-cable MCBE-AFEP-2x0.22, IP67, -40..200°C	19 127 Ft
	8020102629	RB1PA-2SS-1, Temperature sensor Pt1000, diameter 6x15mm, M6, stainless, cable MCBE-AFEP 2x0,22 -60..200°C	14 241 Ft
	8020102691	SP2PA-2SS-1, Temperature sensor Pt1000, 35x12x8mm, surface mounted with hole 3,1mm, 1m cable MCBE-AFEP 2x0,22, -60..200°C	13 450 Ft
	8020102631	SP3PA-2SS-1, Temperature sensor Pt1000, 37x30x8mm, surface mounted with magnet, 1m of cable MCBE-AFEP 2x0,22, -60..200°C	22 744 Ft
Temperature - Outdoor sensors, IP54 / 65			

	8020102636	P11PA, Outdoor temperature sensor Pt1000, -30..+80°C, IP65	21 161 Ft
	8020102633	PL11PA, Temperature sensor Pt1000, -30..+80°C, Outdoor, without stem, IP65	13 702 Ft
	8020102643	A11PA, Outdoor temperature sensor Pt1000, -30..+80°C, IP54	24 613 Ft
	8020102639	P12PA-120, Duct/Air temperature sensor Pt1000; -30..+250°C; IP65; length: 120mm, flange incl.	21 735 Ft
	8020102641	P13PA250-100, Temperature sensor Pt1000, -30..+250°C, with immersible sleeve, IP65, 100mm length including sleeve	27 821 Ft
	8020103030	P30PA, Radiation temperature sensor Pt1000, -30..+80 °C, IP65	25 160 Ft
	8020102640	P13PA150-100, Temperature sensor Pt1000, -30..+150°C, with immersible sleeve, IP65, 100mm length including sleeve	26 951 Ft
	8020102637	P14PA, Surface contact temperature sensor Pt1000; -30..+120°C; IP65	21 022 Ft
	8020103215	P16PA-100, Temperature sensor Pt1000, -30..+80°C, quick response, with immersible sleeve, IP65, 100mm length including sleeve	24 952 Ft
	8020102638	P15PA, Surface contact temperature sensor Pt1000 with cable, -30..+120°C, IP65	15 797 Ft
	8020102644	A12PA-120 - Duct/Air temperature sensor Pt1000, -30..+250°C; length: 120mm, IP54, including flange	24 752 Ft
	8020102645	A13PA150-100 - Immersion temperature sensor Pt1000, -30..+150°C; length: 100mm, IP54, including sleeve	29 499 Ft
	8020102646	A13PA250-100 - Immersion temperature sensor Pt1000, -30..+250°C; length: 100mm, IP54, including sleeve	29 838 Ft
	8020102647	A16PA-100 - Quick response temperature sensor Pt1000, -30..+80°C; length: 100mm, IP54	28 821 Ft
Temperature - Sensor accessories			
	8020102733	Mounting flange side, plastic (for 6mm neck tube)	1 026 Ft
	8020102735	Mounting flange center, plastic (for 6mm neck tube)	1 452 Ft
	8020102736	Mounting flange center, dural (for 6mm neck tube)	3 060 Ft
	8020102740	Immersion sleeve 280 mm, G1/2", Stainless steel DIN 1.4301	9 789 Ft
	8020102741	Immersion sleeve 340 mm, G1/2", Stainless steel DIN 1.4301	10 711 Ft
Electricity meters			

	8020102847	9901M, 1F electricity meter one tarif, mechanical counter; 230V/45A, 1x S0 (1000 imp/kWh)	22 187 Ft
	8020103641	DDS 353H-3; 1F Power Meter of active energy, 100A, RS485, Modbus RTU	33 228 Ft
	8020103642	DTS 353F-3; 3F Power Meter, 4Q, 80A, RS485, Modbus RTU	97 312 Ft
	TXN 142 09.A	R-EM-0300M-A; RFox2 fast electricity meter/quality meter, power supply 230 V AC/DC, 3x U, 3x I - for current transformer x:333 mV, radio type A	96 582 Ft
	TXN 143 09	C-EM-0300M; CIB fast electricity meter/quality meter, power supply 230 V AC/DC, 3x U, 3x I - for current transformer x:333 mV	94 356 Ft
Electricity meters - Accessories			
	8020104010	JC10F-333 20A, Current transformer with split core 20A / 333 mV, hole 10 mm	11 476 Ft
	8020104012	JC10F-333 30A, Current transformer with split core 30A / 333 mV, hole 10 mm	8 998 Ft
	8020104011	JC10F-333 50A, Current transformer with split core 50A / 333 mV, hole 10 mm	8 998 Ft
	8020104226	JC10F-333 75A, Current transformer with split core 75A / 333 mV, hole 10 mm	10 172 Ft
	8020104227	JC16F-333 100A, Current transformer with split core 100A / 333 mV, hole 16 mm	17 631 Ft
	8020104228	JC24F-333 200A, Current transformer with split core 200A / 333 mV, hole 24 mm	22 952 Ft
	8020104229	JC36S-333 300A, Current transformer with split core 300A / 333 mV, hole 36 mm	40 549 Ft
	8020104230	JC36S-333 600A, Current transformer with split core 600A / 333 mV, hole 36 mm	40 549 Ft
	8020103435	JS17F-050/100mA; Split-core current transformer for TXN 133 22.9-, 50 A, hole 17x17 mm	31 646 Ft
	8020103752	JS17F-100/100mA; Split-core current transformer for TXN 133 22.9-, 100 A, hole 17x17 mm	31 646 Ft
	8020103753	JS17F-150/100mA; Split-core current transformer for TXN 133 22.9-, 150 A, hole 17x17 mm	32 437 Ft
	8020103743	JS24S-250/100mA; Split-core current transformer for TXN 133 22.9-, 250 A, hole 24x24 mm	30 464 Ft
	8020103754	JS24S-300/100mA; Split-core current transformer for TXN 133 22.9-, 300 A, hole 24x24 mm	30 464 Ft
	8020103556	JSC-03-1600 / 100mA; Current transformer with split core for TXN 133 22.9-, 1600 A, hole 141x62 mm	216 776 Ft

	8020103675	JSC-03-2400/100mA; Split-core current transformer for TXN 133 22.9-, 2400 A, hole 141x62 mm	216 776 Ft
	TXN 145 00	S-EV-0001X-RC Residual current sensor 30 mA AC, 6 mA DC according to IEC 61851-22, IEC 62752	49 191 Ft
Water meters, gas meters, pressure gauges, valves			
	8020102988	CWX-15N 1/2, CR02. Ball valve, two-way, G 1/2 ", DN15, stainless steel, actuator 24V DC	40 549 Ft
	TA-E/20	TA-E/20, Flowmeter-hot water, 3/4" (G 1"), pulse output, installation length 130mm, 2,5m3/hour, class B,+ magn. sensor with cable 0.5TA-E/20m	19 779 Ft
	TA-E/13	TA-E/13, Flowmeter-hot water, 1/2" (G 1"), pulse output, installation length 110mm, 1,5m3/hour, class B, + magn. sensor with cable 0,5m	19 779 Ft
	8020103021	AV23 Setter Tronic UN, 1-12 l/min, DN 20 1"x1", Balancing valve with flow and temperature sensor	119 699 Ft
	8020102769	AV23 Setter Tronic UN, 2-40 l/min, DN 20 1"x1", Balancing valve with flow and temperature sensor	113 926 Ft
	8020103181	505; pressure sensor <4bar, G 3/8, <85°C, Un=5 VDC; Uout=10 .. 70% Un	23 717 Ft
	8020103180	Conector 402 with cable 110 cm for pressure sensor 505	8 033 Ft
	8020102729	INZ 61 Low frequency sensor of home/flat gas flowmeters ELSTER BK-xx	59 337 Ft
	8020102963	CWX-15N 1, CR02, Ball valve, two-way, G 1 ", DN25, stainless steel, actuator 24V DC	47 434 Ft
Level, flooding			
	8020102817	DS, flood detector, conductive, IP65	11 094 Ft
	8020103097	CLS-23S-11, Immersion miniature capacitive level detector with a basket, <100m, IP68, cable 3 m, normally open	77 533 Ft
	8020102800	HLM-25S, Hydrostatic level meter, meas.range <2m, 4-20mA, 2wire connection, IP68, cable 7m	203 440 Ft
	8020102894	HLM-25S, Hydrostatic level meter, meas.range <3m, 4-20mA, 2wire connection, IP68, cable 6m	204 309 Ft
	8020102869	HLM-25S, Hydrostatic level meter, meas.range <10m, 4-20mA, 2wire connection, IP68, cable 10m	211 264 Ft
	8020102870	HLM-25S, Hydrostatic level meter, meas.range <10m, 4-20mA, 2wire connection, IP68, cable 15m	220 828 Ft
	8020102885	HLM-25S, Hydrostatic level meter, meas.range <1,5m, 4-20mA, 2wire connection, IP68, cable 32m	264 298 Ft
	8020102890	ULM 53N-06-I, Non-contact ultrasonic level meter <6m, 4-20mA, IP67	292 727 Ft

	8020103099	ULM 70N-20-I, Non-contact ultrasonic level meter <20m, 4-20mA, OLED display, IP67	351 272 Ft
Meteo - Home Series			
	8020104371	IQWS-4000 Weather Station; ETH, Wind speed and direction, humidity, dew point, abs. pressure, solar radiation, power supply 12V / 60mA, POE passive	164 560 Ft
	8020102695	IQWS-4000 (Giom3000 Ethernet), PoE splitter (Passive Power over Ethernet, non compatible with IEEE 802.3af)	5 147 Ft
	8020102694	IQWS-4000 (GIOM3000) Ethernet, Power adapter 230V AC/12V DC	8 311 Ft
Frost, rain, dew, solar radiation			
	8020102796	SHS A3, Resistive sensor of condensation with exponential characteristic at high humidity range	10 433 Ft
	1370101092	ETOG 55, Temperature-humidity sensor for outdoor areas, 10 m cable	109 970 Ft
	1370101093	ETOG 55, Temperature-humidity sensor with thermowell for installation in concrete or asphalt, cable 10 m	145 572 Ft
	8020103503	ETOR 55, humidity sensor for gutters, 10m	45 383 Ft
	TXN 134 07	S-SI-01I Solar irradiation sensor, 0-1800W/m2, 1x NTC 12K	37 193 Ft
	TXN 134 10	S-RS-01I; Rain sensor (must be connected to C-IS-0504M)	15 128 Ft
System installation accessories			
Accessories - Heating			
	8020102765	Alpha AST NO, 230V; controlled radiator valve head On / Off, open without voltage; power supply 230V AC	18 110 Ft
	8020102312	Alpha AST NC, 230V; controlled radiator valve head On / Off, closed without voltage; power supply 230V AC	18 110 Ft
	8020102764	Alpha AST NO, 24V AC / DC, controlled radiator valve head On / Off, open without voltage	18 110 Ft
	8020102313	Alpha AST NC, 24V AC / DC, controlled radiator valve head On / Off, closed without voltage	18 110 Ft
	8020102311	Alpha AST 0-10VDC, proportionally controlled radiator valve head, 24 V AC supply	64 875 Ft
	8020102816	Valve-adaptor VA 26 Giacomini	1 739 Ft
	8020102892	Valve-adaptor VA 63H Universa	2 391 Ft
	8020102848	Valve-adaptor VA 78, Danfoss RA	2 391 Ft

	8020102336	Valve-adapter VA 80, M 30 x 1,5: Heimeier, Herb, MNG (od 1998), Onda, Oventrop (od 1997), Schlosser, Siemens, Simplex	1 304 Ft
Accessories - Security, Fire, Access			
	8020102290	JS-20 LARGO, PIR detector of movement	17 014 Ft
	8020102316	JS-25 COMBO, PIR detector of movement combined with glass break acoustic detector	32 437 Ft
	8020102318	GBS-210 VIVO, Dual glass breakage detector	26 030 Ft
	8020103058	Elite QD, Indoor Quad PIR/48 zones, 2 contacts	20 257 Ft
	8020103059	Elite PW, PIR/24 zones, 2 contacts, Pet immunity	21 361 Ft
	8020103060	Elite DT, PIR/42 zones, 2 contacts, 90°	29 273 Ft
	8020102282	SA-200A, Magnetic contact with terminal, 49 x 14 x 13 mm	2 608 Ft
	8020102320	SA-201A, Magnetic contact mini with cable	2 608 Ft
	8020102321	SA-203, Mini self-adhesive magnetic contact with lead, size 33 x 8 x 9 mm	2 773 Ft
	8020102322	SA-204, Magnetic contact, mettalic case for industrial use and door. cable 49x17x9 mm, operating distance 40 mm	8 703 Ft
	8020102323	SA-210, Magnetic contact into the hole with terminal, 10mm, magnet length 15 mm, relay 23 mm, white case	3 086 Ft
	8020102324	SA-211, Magnetic contact mini for the hole, ? 9mm, cable, extra flat, magnet length 3 mm, relay 14 mm, white case, operating distance 19mm	2 608 Ft
	8020102325	SA-220, Magnetic contact, metal housing for metal doors, 106x38x10mm, operating distance. max. 75mm	14 554 Ft
	8020102319	GS-133, Combustible gas detector, power supply 12VDC/1.8W, relay output - switching contact max. 230V/5A	30 142 Ft
	8020102815	SD-283ST, Smoke detector, optical, with relay output, power supply 12Vss	30 855 Ft
	8020102904	EXODUS OH/4W, Optical & Heat multisensor, smoke, temperature	33 228 Ft
	8020103055	EXODUS RR/4W, Rate of rise temperature sensor; >58°C	31 646 Ft
	8020103056	EXODUS FT64/4W, Fixed heat detector; >64°C	31 646 Ft

	8020103057	EXODUS FT90/4W, Fixed heat detector; >90°C	31 646 Ft
	8020102305	SA-913, Interior piezosiren, white	8 225 Ft
	8020102304	OS-365, outdoor magnetodynamic siren with backup including NiCd accumulator 4,8 V 1,8 Ah , LED flasher	47 817 Ft
	8020102300	RFID Clamshell card R/O 125kHz with EM4100	1 243 Ft
	8020103049	SSA-C110; RFID card, Samsung, clamshell hard card, 125KHz	1 939 Ft
	8020103050	RFID Wristband R/O; WR8861NBK-EM1, 125kHz black (GK4001)	2 965 Ft
	8020102872	ACM08E/dark (105641) PIN Keyboard RF ID Unique 125kHz Reader, Wiegand 26bit int.	24 526 Ft
Smart City, Complementary products			
Signaling equipment for the blind			
	5XN 052 50	SZN-1 Traffic light buzzer for blind people, 230V AC	56 615 Ft
	TXN 070 42	SZN-5 Traffic light buzzer for blind people, 25 - 55 V AC	56 615 Ft
	TXN 070 43	SZN-6 Traffic light buzzer for blind people, 20-55 V DC (common +)	56 615 Ft
SW: Mosaic - IEC 61131-3			
Mosaic - PLC programming			
	TXF 686 11.10	MOSAIC Compact + (USB)	279 390 Ft
	TXF 686 12.10	MOSAIC Profi+ (USB)	466 555 Ft
	TXF 686 13.10	MOSAIC Compact +/next installation (USB)	179 705 Ft
	TXF 686 14.10	MOSAIC Profi+ / next installation (USB)	275 322 Ft
	TXF 689 90	MOSAIC, Single Licence Foxtrot2/Foxtrot	27 977 Ft
	TXF 689 91	MOSAIC, Single Licence TC800/TC700	46 626 Ft
	8020103006	HW key USB; Teco Mosaic (without SW)	54 338 Ft
Mosaic - Application profiles			
	TXF 689 01	Application profile IEC 870-5-104-Slave	86 940 Ft

	TXF 689 03	Application profile DSC PWR, Driver for security system	25 430 Ft
	TXF 689 04	Application profile Galaxy, Driver for security system	42 383 Ft
	TXF 689 05	Application profile Paradox, Driver for security system	21 196 Ft
	TXF 689 07	AP CoolMaster, Communication driver for Coolmaster Slave/Master	42 383 Ft
	TXF 689 08	AP Miele,Communication driver for Miele@home	42 383 Ft
	TXF 689 09	Application profile KNX, Communication with KNX network over BAOS 773/774 and 771/772 gateway	53 712 Ft
	TXF 689 14	AP Jablotron, Comm. driver for security system JA-100	21 196 Ft
	TXF 689 15	AP ATREA, communication driver for ATREA air handling units	21 196 Ft
	TXF 689 20	AP Tecnoalarm, communication driver for Tecnoalarm security system	42 383 Ft
	TXF 689 22	AP Bose, communication driver for BOSE SoundTouch speakers	21 196 Ft
	TXF 689 23	AP Kodi, communication driver for KODI Audioplayer function	21 196 Ft
	TXF 689 26	AP Satel, communication protocol for Satel security Integra 8-256	42 383 Ft
Mosaic - Libraries of function blocks			
Mosaic - SW Manuals			
SW: Reliance 4 (SCADA)			
Reliance 4 - Design			
	TXF 688 50.02	RELIANCE DESIGN DESKTOP ENGLISH VER.4 FOR 100 TAGS	53 903 Ft
	TXF 688 50.03	RELIANCE DESIGN DESKTOP ENGLISH VER.4 FOR 200 TAGS	81 724 Ft
	TXF 688 50.04	RELIANCE DESIGN DESKTOP ENGLISH VER.4 FOR 250 TAGS	138 235 Ft
	TXF 688 50.05	RELIANCE DESIGN DESKTOP ENGLISH VER.4 FOR 500 TAGS	166 925 Ft
	TXF 688 50.06	RELIANCE DESIGN DESKTOP ENGLISH VER.4 FOR 1000 TAGS	279 947 Ft
	TXF 688 50.07	RELIANCE DESIGN DESKTOP ENGLISH VER.4 FOR 3000 TAGS	449 480 Ft

	TXF 688 50.08	RELIANCE DESIGN DESKTOP ENGLISH VER.4 FOR 5000 TAGS	562 502 Ft
	TXF 688 50.09	RELIANCE DESIGN DESKTOP ENGLISH VER.4 FOR 10000 TAGS	732 035 Ft
	TXF 688 50.10	RELIANCE DESIGN DESKTOP ENGLISH VER.4 FOR >10 000 TAGS	1 014 590 Ft
	TXF 688 51.02	RELIANCE DESIGN ENTERPRISE ENGLISH VER.4 FOR 100 TAGS	81 724 Ft
	TXF 688 51.03	RELIANCE DESIGN ENTERPRISE ENGLISH VER.4 FOR 200 TAGS	110 414 Ft
	TXF 688 51.04	RELIANCE DESIGN ENTERPRISE ENGLISH VER.4 FOR 250 TAGS	195 615 Ft
	TXF 688 51.05	RELIANCE DESIGN ENTERPRISE ENGLISH VER.4 FOR 500 TAGS	251 257 Ft
	TXF 688 51.06	RELIANCE DESIGN ENTERPRISE ENGLISH VER.4 FOR 500 TAGS	449 480 Ft
	TXF 688 51.07	RELIANCE DESIGN ENTERPRISE ENGLISH VER.4 FOR 3000 TAGS	619 013 Ft
	TXF 688 51.08	RELIANCE DESIGN ENTERPRISE ENGLISH VER.4 FOR 5000 TAGS	732 035 Ft
	TXF 688 51.09	RELIANCE DESIGN ENTERPRISE ENGLISH VER.4 FOR 10000 TAGS	1 014 590 Ft
	TXF 688 51.10	RELIANCE DESIGN ENTERPRISE ENGLISH VER.4 FOR >10 000 TAGS	1 579 700 Ft
Reliance 4 - Runtime			
	TXF 688 61.02	RELIANCE CONTROL ENGLISH VER.4 FOR 50 TAGS	56 485 Ft
	TXF 688 61.03	RELIANCE CONTROL ENGLISH VER.4 FOR 100 TAGS	132 775 Ft
	TXF 688 61.04	RELIANCE CONTROL ENGLISH VER.4 FOR 200 TAGS	161 056 Ft
	TXF 688 61.05	RELIANCE CONTROL ENGLISH VER.4 FOR 250 TAGS	443 637 Ft
	TXF 688 61.06	RELIANCE CONTROL ENGLISH VER.4 FOR 500 TAGS	621 647 Ft
	TXF 688 61.07	RELIANCE CONTROL ENGLISH VER.4 FOR 1000 TAGS	861 767 Ft
	TXF 688 61.08	RELIANCE CONTROL ENGLISH VER.4 FOR 3000 TAGS	1 158 449 Ft

	TXF 688 61.09	RELIANCE CONTROL ENGLISH VER.4 FOR 5000 TAGS	1 751 815 Ft
	TXF 688 61.10	RELIANCE CONTROL ENGLISH VER.4 FOR 8000 TAGS	2 048 498 Ft
	TXF 688 61.11	RELIANCE CONTROL ENGLISH VER.4 FOR 10000 TAGS	2 345 180 Ft
	TXF 688 61.12	RELIANCE CONTROL ENGLISH VER.4 FOR >10 000 TAGS	2 938 546 Ft
	TXF 688 66.02	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 50 TAGS	76 290 Ft
	TXF 688 66.03	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 100 TAGS	146 885 Ft
	TXF 688 66.04	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 200 TAGS	175 158 Ft
	TXF 688 66.05	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 250 TAGS	522 701 Ft
	TXF 688 66.06	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 500 TAGS	720 515 Ft
	TXF 688 66.07	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 1000 TAGS	988 916 Ft
	TXF 688 66.08	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 3000 TAGS	1 370 366 Ft
	TXF 688 66.09	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 5000 TAGS	2 048 498 Ft
	TXF 688 66.10	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 8000 TAGS	2 316 977 Ft
	TXF 688 66.11	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR 10000 TAGS	2 825 576 Ft
	TXF 688 66.12	RELIANCE CONTROL SERVER ENGLISH VER.4 FOR >10 000 TAGS	3 418 942 Ft
	TXF 688 60.02	RELIANCE VIEW ENGLISH VER.4 FOR 50 TAGS	33 907 Ft
	TXF 688 60.03	RELIANCE VIEW ENGLISH VER.4 FOR 100 TAGS	67 813 Ft
	TXF 688 60.04	RELIANCE VIEW ENGLISH VER.4 FOR 200 TAGS	104 571 Ft
	TXF 688 60.05	RELIANCE VIEW ENGLISH VER.4 FOR 250 TAGS	265 628 Ft

	TXF 688 60.06	RELIANCE VIEW ENGLISH VER.4 FOR 500 TAGS	324 964 Ft
	TXF 688 60.07	RELIANCE VIEW ENGLISH VER.4 FOR 1000 TAGS	452 175 Ft
	TXF 688 60.08	RELIANCE VIEW ENGLISH VER.4 FOR 3000 TAGS	664 030 Ft
	TXF 688 60.09	RELIANCE VIEW ENGLISH VER.4 FOR 5000 TAGS	932 432 Ft
	TXF 688 60.10	RELIANCE VIEW ENGLISH VER.4 FOR 8000 TAGS	1 158 449 Ft
	TXF 688 60.11	RELIANCE VIEW ENGLISH VER.4 FOR 10000 TAGS	1 342 162 Ft
	TXF 688 60.12	RELIANCE VIEW ENGLISH VER.4 FOR >10 000 TAGS	1 554 079 Ft
	TXF 688 65.02	RELIANCE SERVER ENGLISH VER.4 FOR 50 TAGS	67 813 Ft
	TXF 688 65.03	RELIANCE SERVER ENGLISH VER.4 FOR 100 TAGS	138 478 Ft
	TXF 688 65.04	RELIANCE SERVER ENGLISH VER.4 FOR 200 TAGS	166 681 Ft
	TXF 688 65.05	RELIANCE SERVER ENGLISH VER.4 FOR 250 TAGS	449 262 Ft
	TXF 688 65.06	RELIANCE SERVER ENGLISH VER.4 FOR 500 TAGS	618 795 Ft
	TXF 688 65.07	RELIANCE SERVER ENGLISH VER.4 FOR 1000 TAGS	861 767 Ft
	TXF 688 65.08	RELIANCE SERVER ENGLISH VER.4 FOR 3000 TAGS	1 158 449 Ft
	TXF 688 65.09	RELIANCE SERVER ENGLISH VER.4 FOR 5000 TAGS	1 751 815 Ft
	TXF 688 65.10	RELIANCE SERVER ENGLISH VER.4 FOR 8000 TAGS	2 048 498 Ft
	TXF 688 65.11	RELIANCE SERVER ENGLISH VER.4 FOR 10000 TAGS	2 345 180 Ft
	TXF 688 65.12	RELIANCE SERVER ENGLISH VER.4 FOR >10 000 TAGS	2 938 546 Ft
Reliance 4 - Combi Package			
	TXF 688 71.05	Reliance 4 Combi Package Enterprise ENGLISH VER.4 FOR 250 TAGS	579 264 Ft

	TXF 688 71.06	Reliance 4 Combi Package Enterprise ENGLISH VER.4 FOR 5000 TAGS	791 180 Ft
	TXF 688 71.07	Reliance 4 Combi Package Enterprise ENGLISH VER.4 FOR 1000 TAGS	1 087 863 Ft
	TXF 688 71.08	Reliance 4 Combi Package Enterprise ENGLISH VER.4 FOR 3000 TAGS	1 511 695 Ft
	TXF 688 71.09	Reliance 4 Combi Package Enterprise ENGLISH VER.4 FOR 5000 TAGS	2 246 312 Ft
	TXF 688 71.10	Reliance 4 Combi Package Enterprise ENGLISH VER.4 FOR 8000 TAGS	2 514 713 Ft
	TXF 688 71.11	Reliance 4 Combi Package Enterprise ENGLISH VER.4 FOR 10000 TAGS	3 079 876 Ft
	TXF 688 71.12	Reliance 4 Combi Package Enterprise ENGLISH VER.4 FOR >10000 TAGS	3 758 008 Ft
	TXF 688 70.05	Reliance 4 Combi Package Desktop ENGLISH VER.4 FOR 250 TAGS	494 497 Ft
	TXF 688 70.06	Reliance 4 Combi Package Desktop ENGLISH VER.4 FOR 500 TAGS	692 234 Ft
	TXF 688 70.07	Reliance 4 Combi Package Desktop ENGLISH VER.4 FOR 1000 TAGS	960 713 Ft
	TXF 688 70.08	Reliance 4 Combi Package Desktop ENGLISH VER.4 FOR 3000 TAGS	1 285 599 Ft
	TXF 688 70.09	Reliance 4 Combi Package Desktop ENGLISH VER.4 FOR 5000 TAGS	1 935 528 Ft
	TXF 688 70.10	Reliance 4 Combi Package Desktop ENGLISH VER.4 FOR 8000 TAGS	2 246 312 Ft
	TXF 688 70.11	Reliance 4 Combi Package Desktop ENGLISH VER.4 FOR 10000 TAGS	2 599 480 Ft
	TXF 688 70.12	Reliance 4 Combi Package Desktop ENGLISH VER.4 FOR >10000 TAGS	3 249 409 Ft
Reliance 4 - Thin Clients			
	TXF 688 01.02	RELIANCE Web + Mobile Client ENGLISH VER.4 WITH 2 LICENCES	268 401 Ft
	TXF 688 01.03	RELIANCE Web + Mobile Client ENGLISH VER.4 WITH 3 LICENCES	409 731 Ft
	TXF 688 01.04	RELIANCE Web + Mobile Client ENGLISH VER.4 WITH 5 LICENCES	579 264 Ft
	TXF 688 01.05	RELIANCE Web + Mobile Client ENGLISH VER.4 WITH 10 LICENCES	847 665 Ft

	TXF 688 01.06	RELIANCE Web + Mobile Client ENGLISH VER.4 WITH 25 LICENCES	1 327 982 Ft
	TXF 688 01.07	RELIANCE Web + Mobile Client ENGLISH VER.4 WITH 50 LICENCES	1 681 228 Ft
	TXF 688 01.08	Reliance Smart Client, Reliance Web Client with 100 licences	2 119 163 Ft
	TXF 688 01.09	Reliance Smart Client, Reliance Web Client with 200 licences	2 825 576 Ft
Reliance 4 - Communication drivers			
	TXF 688 80.10	Reliance 4 MODBUS, communication driver, no tag limitation	352 976 Ft
	TXF 688 80.23	Reliance 4 BACnet, communication driver, without tag restrictions	353 307 Ft
	TXF 688 80.15	Reliance 4 Generic Driver, Communication Driver, No Point Limits	70 526 Ft
	TXF 688 80.12	Reliance 4 JOHNSON CONTROLS DX9100, communication driver, no tag limitation	352 976 Ft
	TXF 688 80.11	Reliance 4 SAUTER EY2400, communication driver, no point limitation	352 976 Ft
	TXF 688 80.14	Reliance 4 Rittmeyer WSR 3000, communication driver, no point limitation	352 976 Ft
	TXF 688 80.16	Reliance 4 PROMOS, communication driver, no point limitation	339 066 Ft
Reliance 4 - HW Keys			
	8020103007	HW key USB; Reliance (without SW)	54 338 Ft